Supporting Information

Iron-catalyzed regioselective direct coupling of aromatic

aldehydes with coumarins leading to 3-aroyl coumarins

Jin-Wei Yuan,* Qiu-Yue Yin, Liang-Ru Yang, Wen-Peng Mai, Pu Mao,*

Yong-Mei Xiao and Ling-Bo Qu'*

School of Chemistry & Chemical Engineering, Henan University of Technology, Zhengzhou

450001, China

E-mail: yuanjinweigs@126.com; maopu@haut.edu.cn, qulingbo@haut.edu.cn

Table 1 Synthesis of 3-benzoyl coumarin using different oxidantsNMR Spectra of products

| | + | [O](4.0 FeCl ₂ (10 PhCl, N ₂ | | |
|----|-------|--|--------------------------------|-----|
| 1a | 2a | | | 3aa |
| | Entry | [O] | $\operatorname{Yield}^{b}(\%)$ | _ |
| | 1 | H_2O_2 | trace | |
| | 2^c | DTBP | 15 | |
| | 3 | $K_2S_2O_8$ | nr^d | |
| | 4 | $(NH_4)_2S_2O_8$ | nr | |
| | 5^e | air | nr | _ |

 Table 1 Synthesis of 3-benzoyl coumarin using different oxidants^a

^{*a*} Reaction conditions: **1a** (0.25 mmol), **2a** (1.0 mmol), FeCl₂ (10 mol%) as the catalyst, oxidant


(4.0 equiv) in PhCl (2 mL) with stirring under nitrogen for 12 h.

^b Isolated yield.


^{*c*} DTBP: di-tert-butyl hydrogen peroxide.

 d nr = no reaction


^{*e*} No N₂, using O_2 in the air as the oxidant.




¹H NMR spectrum of compound **3aa**




¹³C NMR spectrum of compound **3aa**




¹H NMR spectrum of compound **3ab**




¹³C NMR spectrum of compound **3ab**




¹H NMR spectrum of compound **3ac**




¹³C NMR spectrum of compound **3ac**




¹H NMR spectrum of compound **3ad**




¹³C NMR spectrum of compound **3ad**




¹H NMR spectrum of compound **3ae**




¹³C NMR spectrum of compound **3ae**




¹H NMR spectrum of compound **3af**




¹³C NMR spectrum of compound **3af**




¹H NMR spectrum of compound **3ag**




¹³C NMR spectrum of compound **3ag**




¹H NMR spectrum of compound **3ah**




¹³C NMR spectrum of compound **3ah**




¹⁹F NMR spectrum of compound **3ah**




¹H NMR spectrum of compound **3ai**




¹³C NMR spectrum of compound **3ai**




¹H NMR spectrum of compound **3aj**




¹³C NMR spectrum of compound **3aj**




¹H NMR spectrum of compound **3ak**




¹³C NMR spectrum of compound **3ak**




¹H NMR spectrum of compound **3al**




¹³C NMR spectrum of compound **3al**




¹H NMR spectrum of compound **3am**




¹³C NMR spectrum of compound **3am**




¹H NMR spectrum of compound **3an**




¹³C NMR spectrum of compound **3an**




¹H NMR spectrum of compound **3ba**




¹³C NMR spectrum of compound **3ba**




¹H NMR spectrum of compound **3ce**




¹³C NMR spectrum of compound **3ce**




¹H NMR spectrum of compound **3de**




¹³C NMR spectrum of compound **3de**




¹H NMR spectrum of compound **3ea**




¹³C NMR spectrum of compound **3ea**




¹H NMR spectrum of compound **3fe**




¹³C NMR spectrum of compound **3fe**



¹H NMR spectrum of compound **5ab**




¹³C NMR spectrum of compound **5ab**




¹H NMR spectrum of compound **5ad**




¹³C NMR spectrum of compound **5ad**




¹H NMR spectrum of compound **5af**




¹³C NMR spectrum of compound **5af**




¹H NMR spectrum of compound **5an**




¹³C NMR spectrum of compound **5an**




¹H NMR spectrum of compound **5bd**



¹³C NMR spectrum of compound **5bd**



¹H NMR spectrum of compound **5cd**



¹³C NMR spectrum of compound **5cd**