

Electronic Supplementary Material (ESI) for RSC Advances.

This journal is © The Royal Society of Chemistry 2015

Supporting Information

Nanohybrid membranes with hydroxide ion transport highways constructed from imidazolium-functionalized graphene oxide

Huiling Chen,^a Jianshe Wang,^a Huijuan Bai,^a Jie Sun,^b Yifan Li,^a Yong Liu,^a Jingtao Wang^{*a},

^aSchool of Chemical Engineering and Energy, Zhengzhou University, Zhengzhou 450001, P. R.

China

^bLab of Renewable energy and energy safety, Institute of NBC Defense, Beijing 102205, P. R.

China

*To whom correspondence should be addressed. E-mail: jingtaowang@zzu.edu.cn.

Fig. S1. XRD patterns of CS control and nanohybrid membranes.

Fig. S2. (a) TGA curves of CS/C₁₀-ImGO-X under a nitrogen atmosphere, and (b) stress-strain curves of CS/C₄-ImGO-X.

Fig. S3. (a) Temperature-dependent conductivity of (a) CS/GO-X, (b) CS/C₄-ImGO-X, (c) CS/C₁₀-ImGO-X, and (d) CS/B-ImGO-X under 100% RH.




Fig. S1. XRD patterns of CS control and nanohybrid membranes.




Fig. S2. (a) TGA curves of CS/C₁₀-ImGO-X under a nitrogen atmosphere, and (b) stress-strain curves of CS/C₄-ImGO-X.




Fig. S3. (a) Temperature-dependent conductivity of (a) CS/GO-X, (b) CS/C₄-ImGO-X, (c) CS/C₁₀-ImGO-X, and (d) CS/B-ImGO-X under 100% RH.