Thermo-Responsive Behavior of Borinic Acid Polymers: Experimental and Molecular Dynamics Studies

Wen-Ming Wan, ^{1,2} * Peng Zhou, ¹ Fei Cheng, ² Xiao-Li Sun, ³ Xin-Hu Lv, ¹ Kang-Kang Li, ¹ Hai Xu, ¹* Miao Sun, ⁴ Frieder J äkle ²*

¹ State Key Laboratory of Heavy Oil Processing and Centre for Bioengineering and Biotechnology, China University of Petroleum (East China), 66 Changjiang West Road, Qingdao Economic Development Zone, Qingdao, Shandong, 266580, People's Republic of China.

² Department of Chemistry, Rutgers University Newark, 73 Warren Street, Newark, NJ 07102, United States.

³ Department of Material Physics and Chemistry, China University of Petroleum (East China), 66 Changjiang West Road, Qingdao Economic Development Zone, Qingdao, Shandong, 266580, People's Republic of China.

⁴ Institute of Chemical Engineering and Materials, Yantai University, Yantai, 264005, China.

KEYWORDS: borinic acid, boron, thermo-responsive, molecular dynamics simulation, smart polymers.



Figure S1. ¹H NMR spectra of model compound (iodophenyl(triisopropylphenyl)-borinic acid) in $[D_6]$ -DMSO. A) without and B) with D_2O (7% of D_2O , v/v)