

Supporting Information

Novel Understanding of Carbothermal Reduction Enhancing

Electronic and Ionic Conductivity of $\text{Li}_4\text{Ti}_5\text{O}_{12}$ Anode

Bo Yan,^{a, b, c} Minsi Li,^d Xifei Li,^{*b} Zhimin Bai,^{*a} Jianwen Yang,^{*c} Dongbin Xiong,^b

Dejun Li^b

^a*Beijing Key Laboratory of Materials Utilization of Nonmetallic Minerals and Solid Wastes, National Laboratory of Mineral Materials, School of Materials Science and Technology, China University of Geosciences, Beijing, 100083. E-mail: zhimibai@cugb.edu.cn; Tel: +86-13691115187*

^b*Energy & Materials Engineering Centre, College of Physics and Materials Science, Tianjin Normal University, Tianjin 300387, China. E-mail: xfli2011@hotmail.com; Tel: +86-22-23766526, Fax: +86-22-23766503*

^c*College of Chemistry and Bioengineering, Guilin University of Technology, Guilin, 541004, China. E-mail: yangjw@glite.edu.cn; Tel: +86-773-5896446*

^d*CAS Key Laboratory of Materials for Energy Conversion, Department of Materials Science and Engineering, University of Science and Technology of China, Anhui, Hefei 230026, P. R. China*




Fig. S1 High- magnification SEM images of (a) LTO-W and (b) LTO-B.