Electronic Supplementary Material (ESI) for Journal of Materials Chemistry A. This journal is © The Royal Society of Chemistry 2015

## **Supporting Materials for**

## Cr(VI) Removal by Magnetic Carbon Nanocomposites Derived from Cellulose with Different Carbonization Temperatures

Bin Qiu,<sup>1,2,3</sup> Yiran Wang,<sup>2</sup> Dezhi Sun,<sup>1\*</sup> Qiang Wang,<sup>1</sup> Xin Zhang,<sup>4</sup> Brandon L. Weeks,<sup>4</sup> Ryan O'Connor,<sup>5</sup> Xiaohua Huang,<sup>5</sup> Suying Wei,<sup>3\*</sup> and Zhanhu Guo<sup>2\*</sup>

<sup>1</sup>College of Environmental Science and Engineering Beijing Forestry University, Beijing, 100083 China

<sup>2</sup>Integrated Composites Laboratory (ICL) Department of Chemical and Biomolecular Engineering University of Tennessee, Knoxville, TN 37996 USA

<sup>3</sup>Department of Chemistry and Biochemistry Lamar University, Beaumont, TX 77710 USA

<sup>4</sup>Department of Chemical Engineering Texas Technology University, Lubbock, TX 79409 USA

<sup>5</sup>Department of Chemistry The University of Memphis, Memphis, TN 38152, USA

\*: to whom the correspondence should be addressed

zguo10@utk.edu (Z. G.)

suying.wei@lamar.edu (S. W.)

sundezhi@bjfu.edu.cn (D. S.)



Fig. S1 SEM images of (A) MC8-5 and (B) MC8-2.



Fig. S2 SEM images of (A) MC8-10-30 and (B) MC8-10-60.



Fig. S3 Magnetic hysteresis loop of the MC7-10 before being treated with Cr(VI).



Fig. S4 C1s XPS spectra of MC7-10 before being tretaed with Cr(VI) solution.



Fig. S5 C1s XPS spectra of MC8-10 before being tretaed with Cr(VI) solution.