


Supporting Information

# **Facile *in situ* Synthesis of Silver Nanoparticles on Boron Nitride Nanosheets with Enhanced Catalytic Performance**


Heng Shen,<sup>ab</sup> Chunting Duan,<sup>ab</sup> Jing Guo,<sup>ab</sup> Ning Zhao,<sup>\*a</sup> and Jian Xu<sup>\*a</sup>

*<sup>a</sup>Beijing National Laboratory for Molecular Sciences, Laboratory of Polymer Physics  
and Chemistry, Institute of Chemistry, Chinese Academy of Sciences, Zhongguancun  
North First Street 2, Beijing, 100190, P. R. China. E-mail: [zhaoning@iccas.ac.cn](mailto:zhaoning@iccas.ac.cn);  
[jxu@iccas.ac.cn](mailto:jxu@iccas.ac.cn)*


*<sup>b</sup>University of Chinese Academy of Sciences, Beijing, 100049, P. R. China*




**Figure S1.** EDS mapping of BNNS@TA-Fe.




**Figure S2.** Photos of BNNS/Ag-1, BNNS/Ag-2, BNNS/Ag-3 dispersion (0.1 mg/mL).



**Figure S3.** TEM images of (a) BNNS/Ag-1 and (b) BNNS/Ag-2. The size distributions of Ag nanoparticles on BNNS/Ag-1 and BNNS/Ag-2 are shown in (c) and (d), respectively.



**Figure S4.** The change of Ag NPs formed on BNNS with the dosage of  $\text{Ag}(\text{NH}_3)_2\text{OH}$ .



**Figure S5.** TEM images of (a) BNNS/Au and (c) BNNS/Pd, and HR-TEM images of (b) Au and (d) Pd nanoparticles.