

Electronic Supplementary Information (ESI)

**High temperature low vacuum synthesis of a freestanding
three-dimensional graphene nano-ribbon foam electrode**

Dale A. C. Brownson, Luiz C. S. Figueiredo-Filho,^{1,2} Bill L. Riehl,³ Bonnie D. Riehl,³
Maria Gómez-Mingot,⁴ Jesús Iniesta,⁴ Orlando Fatibello-Filho¹ and Craig E. Banks*

*Faculty of Science and Engineering, School of Science and the Environment,
Division of Chemistry and Environmental Science, Manchester Metropolitan University,
Chester Street, Manchester, M1 5GD, UK.*

¹: *Departamento de Química, Universidade Federal de São Carlos,
São Carlos - SP, Brazil, P.O. Box 676, 13560-970.*

²: *Campus Paranavaí, Instituto Federal do Paraná, 87703-536, Paranavaí, PR, Brazil.*

³: *SCNTE LTD., P.O. Box 38, Alpha, OH 45301, USA.*

⁴: *Physical Chemistry Department and Institute of Electrochemistry, University of Alicante,
03690, San Vicente del Raspeig, Alicante, Spain.*

*To whom correspondence should be addressed.

Email: c.banks@mmu.ac.uk; Tel: ++(0)1612471196; Fax: ++(0)1612476831

Website: www.craigbanksresearch.com

Figure S1

XPS spectra of the freestanding 3D GNR foam electrode. Overall spectrum (A) and de-convoluted C1s (B) and O1s (C) regions.

