Electronic Supplementary Material (ESI) for Journal of Materials Chemistry B. This journal is © The Royal Society of Chemistry 2015

Supporting Information

of

"Supermolcular Theranostic Capsules for pH-Sensitive Magnetic Resonance Imaging and Multi-responsive Drug Delivery"

Di-Wei Zheng^a, Qi Lei^b, Si Chen^b, Wen-Xiu Qiu^b, Meng-Yi Liu^a, Xian Chen^a, Yu-Xue Ding^a, Peng-Hui Li^c, Quan-Yuan Zhang^a, Zu-Shun Xu^a, *, Xian-Zheng Zhang^b, **, Paul K. Chu^c,***.

a Hubei Collaborative Innovation Center for Advanced Organic Chemical Materials, Ministry of Education Key Laboratory for The Green Preparation and Application of Functional Materials, Hubei University, Wuhan, Hubei 430062, China

b Key Laboratory of Biomedical Polymers of Ministry of Education & Department of Chemistry, Wuhan University, Wuhan, Hubei 430072, China

c Department of Physics and Materials Science, City University of Hong Kong, Tat Chee Avenue, Kowloon, Hong Kong, China

* Corresponding author. Tel.: +86 27 88661729; fax: +86 27 88661729.

** Corresponding author. Tel.: +86 27 68754509; fax: +86 27 68754509.

*** Corresponding author. Tel.: +852 34427724; fax: +852 34420538.

E-mail addresses: zushunxu@hubu.edu.cn (Z. S. Xu), xz-zhang@whu.edu.cn (X.-Z. Zhang), paul.chu@cityu.edu.hk (P. K. Chu).




Figure S1. Cumulative drug release from the microcapsules with pH=5.6+UV, pH=5.6, pH=7.4+UV, pH=7.4, pH=6.5+UV or pH=6.5 measured by UV-vis spectrophotometer.




Figure S2. 1/T2-[Fe] curves of the microcapsules at pH=7.4 and pH=5.6.




Figure S3. H&E staining (40x) of (a) heart, (b) liver, (c)spleen, (d) lung and (e) kidney 3 days post injection.




Figure S4. H&E staining (40x) of injection side 3 days post injection.