

Supplementary Information

Energy Transfer in Color-Tunable Water-Dispersible Tb-Eu codoped CaF₂ Nanocrystals

M. Back,^{a*} R. Marin,^a M. Franceschin,^a N. Sfar Hancha,^a F. Enrichi,^{b,c} E. Trave,^a and S. Polizzi^{a,d}

^a Dipartimento di Scienze Molecolari e Nanosistemi, Università Ca' Foscari Venezia, via Torino 155, 30172 Mestre - Venezia, Italy

^b Veneto Nanotech, Laboratorio Nanofab, via delle Industrie 5, 30175 Marghera (Venezia), Italy

^c CNR-IFN Istituto di Fotonica e Nanotecnologie, CSMFO Lab., Via alla Cascata 56/C, 38123 Povo (Trento), Italy

^d Centro di Microscopia Elettronica "Giovanni Stevanato" via Torino 155, 30172 Venezia-Mestre, Italy

*E-mail: michele.back@unive.it




Fig. S1 Comparison between the PLE spectrum of the Tb2.5Eu5 sample collected at 590 nm and the sum of the PLE spectra of the Tb2.5 and Eu5 samples collected at 545 nm and 590 nm respectively.




Fig. S2 Comparison between the PLE spectra of the samples collected at 590 nm.




Fig. S3 Comparison between the PLE spectra of the Tb_{2.5}Eu_X samples collected at 545 nm (X=0, 1, 2.5, 5).