

Electronic supporting information

Acidity and accessibility studies of desilicated ZSM-5 zeolites in terms of their effectiveness as catalysts in acid-catalyzed cracking processes

Karolina A. Tarach^{a,*}, Kinga Góra-Marek^a, Joaquin Martinez-Triguero^b and Ignacio Melián-Cabrera^{c,d *}

^a Faculty of Chemistry, Jagiellonian University in Kraków, 3 Ingardena St., 30-060 Kraków, Poland,
phone: +48 12 663 2081, fax: +48 12 634 0515

^b Instituto de Tecnología Química (UPV-CSIC), Universitat Politècnica de València, Consejo Superior de Investigaciones Científicas, Av. de los Naranjos s/n 46022 Valencia, Spain

^c Chemical Engineering Department, ITM, Faculty of Mathematics and Natural Sciences, University of Groningen Nijenborgh 4, 9747 AG Groningen, The Netherlands

^d European Bioenergy Research Institute (EBRI), School of Engineering and Applied Science, Aston University, Aston Triangle, Birmingham B4 7ET, United Kingdom

Corresponding Authors:

* Karolina A. Tarach; P: +48(12)663 20 81; F: +48(12)634 05 15; E-mail address:
karolina.tarach@uj.edu.pl

* Ignacio Melián-Cabrera; P: +44(0)121 204 3046; E-mail address: i.melian-cabrera@aston.ac.uk




Figure SI.1. X-ray diffraction patterns of parent and desilicated ZSM-5 zeolites.




Figure SI.2. SEM images of the parent (left) and two representative samples treated with NaOH (middle) and NaOH&TBAOH (right), both treated at 65 °C, 0.5 h.