

Supplementary Electronic Information

Superstructure Formation in $\text{SrBa}_8[\text{BN}_2]_6$ and $\text{EuBa}_8[\text{BN}_2]_6$

Stefan Seidel^{a#}, Tobias Dierkes^{b#}, Thomas Jüstel^{b*}, Christopher Benndorf^{a,c},
Hellmut Eckert^{c*}, and Rainer Pöttgen^{a*}

^a *Institut für Anorganische und Analytische Chemie, Universität Münster, Corrensstrasse 30, D-48149 Münster, Germany. E-mail: pottgen@uni-muenster.de; Fax: +49 251-83-36002*

^b *Fachbereich Chemieingenieurwesen, Fachhochschule Münster, Stegerwaldstraße 39, 48565 Steinfurt, Germany. E-mail: tj@fh-muenster.de*

^c *Institut für Physikalische Chemie, Universität Münster, Corrensstrasse 30, D-48149 Münster, Germany and Institute of Physics in Sao Carlos, University of Sao Paulo, Sao Carlos, SP 13560-590, Brazil. E-mail: eckerth@uni-muenster.de*




Fig. S1 Experimental (top) and calculated (middle and bottom) X-ray powder patterns of $\text{EuBa}_8[\text{BN}_2]_6$. The hkl indices of the superstructure reflections are marked in the experimental pattern.