ELECTRONIC SUPPLEMENTARY INFORMATION (ESI)

Benzimidazole-triazole ligands with pendent triazole functionality: Unexpected formation and effects on coppercatalyzed aerobic alcohol oxidation

Manisa Kongkaew,^{†,‡} Kannika Sitthisuwannakul,^{†,‡} Vasut Nakarajouyphon,^{†,‡} Soraya Pornsuwan,[†] Palangpon Kongsaeree,[†] and Preeyanuch Sangtrirutnugul^{†,‡,*}

* Corresponding author. Email: preeyanuch.san@mahidol.ac.th

[†]Center of Excellence for Innovation in Chemistry (PERCH-CIC), Department of Chemistry, Faculty of Science, Mahidol University, 272 Rama VI Rd. Bangkok, 10400, Thailand.

^{*}Center for Catalysis, Department of Chemistry, Faculty of Science, Mahidol University, 272 Rama VI Rd. Bangkok, 10400, Thailand.



Figure S1. ¹H NMR spectrum of 1 in CDCl₃



Figure S2. ¹³C NMR spectrum of 1 in CDCl₃







Figure S4. ¹³C NMR spectrum of 2a in CDCl₃



Figure S5. ¹H NMR spectrum of **2b** in CDCl₃



Figure S6. ¹³C NMR spectrum of **2b** in CDCl₃



Figure S8. ¹³C NMR spectrum of 2c in CDCl₃



Figure S9. ²⁹Si NMR spectrum of **2c** in CDCl₃







Figure S11. ¹³C NMR spectrum of **3a** in CDCl₃



Figure S13. ¹³C NMR spectrum of 3b in CDCl₃







Figure S15. ¹³C NMR spectrum of 3c in CDCl₃



Figure S16. ²⁹Si NMR spectrum of **3c** in CDCl₃



Figure S17. FT-IR spectrum of 1



Figure S18. FT-IR spectrum of 2a







Figure S20. FT-IR spectrum of 2c







Figure S22. UV-vis spectrum of 3b



Figure S23. UV-vis spectrum of 3c











Figure S26. UV-vis spectrum of 4c