

Supporting Information

Iron Based Catalysts From Novel Low-Cost Organic Precursors for Enhanced Oxygen Reduction Reaction in Neutral Media Microbial Fuel Cells

Carlo Santoro^{a+}, Alexey Serov^{a+}, Lydia Stariha^a, Mounika Kodali^a, Jonathan Gordon^a, Sofia Babanova^b, Orianna Bretschger^b, Kateryna Artyushkova^a, Plamen Atanassov^{a†}

^{a.} Department of Chemical and Biological Engineering, Center for Micro-Engineered Materials (CMEM) University of New Mexico, Albuquerque, NM 87131, USA

^{b.} J. Craig Venter Institute, 4120 Capricorn Lane, La Jolla, CA 92037, USA

[†] Plamen Atanassov, Department of Chemical & Biological Engineering, Center for Micro-Engineered Materials (CMEM), University of New Mexico, Albuquerque, NM 87131, USA, e-mail: plamen@unm.edu

⁺ The two authors have contributed equally to the manuscript




Figure S1. Power Curves (a) and Electrodes Polarizations (b) after 2 days. Power Curves (c) and Electrodes Polarizations (d) after 10 days. Power Curves (e) and Electrodes Polarizations (f) after 20 days. Power Curves (g) and Electrodes Polarizations (h) after 29 days.




Figure S2. Current decreasing during accelerated poisoning tests.




Figure S3. Camera images of the cathode facing the solution after 32 days long terms experiments.

