

Supplementary Materials for

Oxidation of refractory sulfur compounds with molecular oxygen over Ce-Mo-O catalyst

Yawei Shi, Guozhu Liu*, Bofeng Zhang and Xiangwen Zhang*

Key Laboratory for Green Chemical Technology of Ministry of Education, School of Chemical Engineering and Technology, Collaborative Innovation Center of Chemical Science and Engineering (Tianjin), Tianjin University, Tianjin 300072, China

*Corresponding author. Tel. /fax: +86 22 27892340.

E-mail address: gliu@tju.edu.cn (G. Liu); zhangxiangwen@tju.edu.cn (X. Zhang)




Fig. S1 SEM (a), TEM images (b) and particle size distribution of the catalyst (b inset)




Fig. S2 EDS spectrum of the Ce-Mo-O catalyst




Fig.S3 EDS mapping of the Ce-Mo-O catalyst




Fig.S4 mesopore size distribution of the catalyst




Fig.S5 Pseudo-first-order fitting of the kinetic data (a) and calculation of Arrhenius equation (b).




Fig.S6 FT-IR spectrum of the oxidation product




Fig.S7 GC-FID analysis of control experiments (reaction conditions: 100°C, 500ppmW DBT in 20g decalin, O₂ bubbled in at ambient pressure)