

Synthetic studies towards putative yuremamine using an iterative C(sp³)-H arylation strategy


Matthew B. Calvert and Jonathan Sperry*


School of Chemical Sciences, University of Auckland, 23 Symonds St., Auckland, New Zealand


j.sperry@auckland.ac.nz


SUPPORTING INFORMATION


Contents	Page
¹ H NMR of 10 (400 MHz, CDCl ₃)	1
¹³ C NMR of 10 (100 MHz, CDCl ₃)	2
¹ H NMR of 12 (400 MHz, CDCl ₃)	3
¹³ C NMR of 12 (100 MHz, CDCl ₃)	4
NOESY spectrum of 12	5
¹ H NMR of 16 (400 MHz, CDCl ₃)	6
¹³ C NMR of 16 (100 MHz, CDCl ₃)	7
NOESY spectrum of 16	8
¹ H NMR of 17 (400 MHz, CDCl ₃)	9
¹³ C NMR of 17 (100 MHz, CDCl ₃)	10
NOESY spectrum of 17	11
¹ H NMR of 19 (400 MHz, CDCl ₃)	12
¹³ C NMR of 19 (100 MHz, CDCl ₃)	13
NOESY spectrum of 19	14
¹ H NMR of 20 (400 MHz, CDCl ₃)	15
¹³ C NMR of 20 (100 MHz, CDCl ₃)	16
NOESY spectrum of 20	17
¹ H NMR of 21 (500 MHz, CDCl ₃)	18
¹³ C NMR of 21 (125 MHz, CDCl ₃)	19
NOESY spectrum of 21	20
¹ H NMR of 24 (400 MHz, CDCl ₃)	21
¹ H NMR of 25 (400 MHz, CDCl ₃)	22
¹³ C NMR of 25 (100 MHz, CDCl ₃)	23
¹ H NMR of 31 (400 MHz, CDCl ₃)	24
¹ H NMR of 35 (400 MHz, CDCl ₃)	25
¹³ C NMR of 35 (100 MHz, CDCl ₃)	26
¹ H NMR of 36 (400 MHz, CDCl ₃)	27
¹³ C NMR of 36 (100 MHz, CDCl ₃)	28
¹ H NMR of 37 (500 MHz, CDCl ₃)	29
¹³ C NMR of 37 (125 MHz, CDCl ₃)	30
NOESY spectrum of 37	31
COSY spectrum of 37	32
¹ H NMR of 39 (500 MHz, CDCl ₃)	33
¹³ C NMR of 39 (125 MHz, CDCl ₃)	34
¹ H NMR of 38 (500 MHz, CDCl ₃)	35
¹³ C NMR of 38 (125 MHz, CDCl ₃)	36
NOESY spectrum of 38	37
¹ H NMR of 40 (400 MHz, CDCl ₃)	38
¹³ C NMR of 40 (100 MHz, CDCl ₃)	39
¹ H NMR of 41 (400 MHz, CDCl ₃)	40
¹³ C NMR of 41 (100 MHz, CDCl ₃)	41
¹ H NMR of 43 (400 MHz, CDCl ₃)	42
¹³ C NMR of 43 (100 MHz, CDCl ₃)	43
¹ H NMR of 44 (400 MHz, CDCl ₃)	44
¹³ C NMR of 44 (100 MHz, CDCl ₃)	45
¹ H NMR of 45 (500 MHz, CDCl ₃)	46
¹³ C NMR of 45 (125 MHz, CDCl ₃)	47
¹ H NMR of 47 (400 MHz, CDCl ₃)	48
¹³ C NMR of 47 (100 MHz, CDCl ₃)	49
¹ H NMR of 48 (400 MHz, CDCl ₃)	50
¹³ C NMR of 48 (100 MHz, CDCl ₃)	51
NOESY spectrum of 48	52
¹ H NMR of 49 (500 MHz, CDCl ₃)	53
¹³ C NMR of 49 (125 MHz, CDCl ₃)	54
NOESY spectrum of 49	55
¹ H NMR of 50 (500 MHz, CDCl ₃)	56
¹³ C NMR of 50 (125 MHz, CDCl ₃)	57
NOESY spectrum of 50	58

























































SpinWorks 2.5: protonstdri CDCl3 /nmr/400 mcal049 53



file: E:\NMR backup\NMR backup\400\20130701-MBC117.7V\1\fid exp: <zg30>

transmitter freq.: 400.132101 MHz

time domain size: 32768 points

width: 8169.93 Hz = 20.418093 ppm = 0.249327 Hz/pt


number of scans: 16


freq. of 0 ppm: 400.130010 MHz

processed size: 16384 complex points


LB: 0.000 GB: 0.0000

Hz/cm: 176.005 ppm/cm: 0.43987





SpinWorks 2.5: protonstdri CDCl3 /nmr/400 mcal049 4



file: N:\data\mcal049\nmr\20130910-MBC140.1-1\1\fid expt: <zg30>

transmitter freq.: 400.132101 MHz

time domain size: 32768 points

width: 8169.93 Hz = 20.418093 ppm = 0.249327 Hz/pt

number of scans: 16

freq. of 0 ppm: 400.130010 MHz

processed size: 16384 complex points

LB: 0.000 GB: 0.0000

Hz/cm: 128.105 ppm/cm: 0.32016

