

Supporting Information:



BF₃·OEt₂-Mediated *Syn*-Selective Meyer-Schuster Rearrangement of Phenoxy Propargyl Alcohols for *Z*- β -Aryl- α,β -Unsaturated Esters



Surendra Puri,^a Madala Hari Babu,^a and Maddi Sridhar Reddy^{a,b*}

^a*Medicinal & Process Chemistry Division, CSIR-Central Drug Research Institute,
BS-10/1, Sector 10, Jankipuram extension, Sitapur Road, Lucknow 226031, India.*


^b*Academy of Scientific and Innovative Research, New Delhi 110001,*

India.Email:msreddy@cdri.res.in





NOESY



Current Data Parameters
 NAME sp cis trans ester
 EXPNO 911
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20150726
 Time 5.11
 INSTRUM spect
 PROBHD 5 mm PABBO BB
 PULPROG noesygpphph
 TD 2048
 SOLVENT CDCl3
 NS 4
 DS 32
 SWH 3378.378 Hz
 FIDRES 1.649599 Hz
 AQ 0.3031040 sec
 RG 58.68
 DW 148.000 usec
 DE 6.50 usec
 TE 300.0 K
 D0 0.00013119 sec
 D1 1.95289600 sec
 D8 0.30000001 sec
 D11 0.03000000 sec
 D12 0.00002000 sec
 D16 0.00020000 sec
 IN0 0.00029600 sec

===== CHANNEL f1 =====
 SFO1 400.1622332 MHz
 NUC1 1H
 P1 13.20 usec
 P2 26.40 usec
 P17 2500.00 usec

