

Supporting Information

for

Chemoenzymatic synthesis of *para*-nitrophenol (*p*NP)-tagged α 2–8-sialosides and high-throughput substrate specificity studies of α 2–8-sialidases†

*Nova Tasnima,^a Hai Yu,^a Yanhong Li,^a Abhishek Santra,^a and Xi Chen^{*a}*


^aDepartment of Chemistry, University of California, One Shields Avenue, Davis, California 95616, USA

*Corresponding Author. Tel: +1 530 7546037; fax: +1 530 7528995. *E-mail address:* xiichen@ucdavis.edu


Table of Contents

¹ H and ¹³ C NMR spectra for α 2–8-linked sialosides 1–7.....	S2–S8
--	-------


^1H and ^{13}C NMR spectra of Neu5Ac α 2-8Neu5Ac α 2-3Gal β pNP (1)




^1H and ^{13}C NMR spectra of Neu5G α 2-8Neu5A α 2-3Gal β pNP (2)




^1H and ^{13}C NMR spectra of Neu5Az α 2–8Neu5Ac α 2–3Gal β pNP (3)





^1H and ^{13}C NMR spectra of Kdn α 2-8Neu5Ac α 2-3Gal β pNP (4)



^1H and ^{13}C NMR spectra of Neu5N₃α2-8Neu5Acα2-3GalβpNP (5)



^1H and ^{13}C NMR spectra of Neu5Ac7N₃ α 2-8Neu5Ac α 2-3Gal β pNP (6)



^1H and ^{13}C NMR spectra of Neu5Ac9N₃ α 2-8Neu5Ac α 2-3Gal β pNP (7)

