

A Universal Access to Megastigmanes Through Controlled Cyclization Towards Highly Substituted Cyclohexenes.

José A. González-Delgado,[‡] Miguel A. Romero,[‡] Uwe Pischel and Jesús F. Arteaga*

CIQSO - Center for Research in Sustainable Chemistry and Department of Chemistry,
University of Huelva, Campus de El Carmen s/n, 21071 Huelva, Spain.

Supporting Information

TABLE OF CONTENTS

Spectra

¹ H and ¹³ C NMR spectra of 3	S-2
¹ H and ¹³ C NMR spectra of 12	S-3
¹ H and ¹³ C NMR spectra of 13	S-4
¹ H and ¹³ C NMR spectra of 14	S-5
¹ H and ¹³ C NMR spectra of 15	S-6
¹ H and ¹³ C NMR spectra of 7	S-7
¹ H and ¹³ C NMR spectra of 9	S-8
¹ H and ¹³ C NMR spectra of Tectoionol B	S-9

AUTHOR INFORMATION



Corresponding Author

*(Jesús F. Arteaga) E-mail: jesus.fernandez@diq.uhu.es.



Author Contributions

[‡]J.A.G.-D. and M.A.R. contributed equally to this work

^1H and ^{13}C NMR spectra of **3**





^1H and ^{13}C NMR spectra of **12**




^1H and ^{13}C NMR spectra of **13**



JOS_426_22
STANDARD PROTON PARAMETERS





¹H and ¹³C NMR spectra of **14**





¹H and ¹³C NMR spectra of **15**



^1H and ^{13}C NMR spectra of **7**



^1H and ^{13}C NMR spectra of **9**



^1H and ^{13}C NMR spectra of Tectoionol B

