

Supporting information

Click reactive microgels as a strategy towards chemically injectable hydrogels.

Rémi Absil^{a,b,c}, Seda Çakir^b, Sylvain Gabriele,^d Philippe Dubois^a, Christopher Barner-Kowollik^{c*}, Filip Du Prez^{b,*}, Laetitia Mespouille^{a,*}

^{a)} Laboratory of Polymeric and Composite Materials (LPCM), Center of Innovation and Research in Materials and Polymers (CIRMAP), Health and Materials Research Institutes, University of Mons (UMons), 23 Place du Parc, 7000 Mons, Belgium,

^{b)} Polymer Chemistry Research Group, Ghent University, Krijgslaan 281 S4-bis B-9000 Ghent, Belgium

^{c)} Preparative Macromolecular Chemistry, Institut für Technische Chemie und Polymerchemie, Karlsruhe Institute of Technology (KIT), Engesserstr. 18, 7628 Karlsruhe, Germany, and Institut für Biologische Grenzflächen, Karlsruhe Institute of Technology (KIT), Hermann-von-Helmholtz-Platz 1, 76344 Eggenstein-Leopoldshafen, Germany,

^{d)} Laboratoire interface et fluides complexes, University of Mons (UMons), 23 Place du Parc, 7000 Mons, Belgium




Figure 1 : UV absorbance evolution with 4-Phenyl-1,2,4-triazoline-3,5-dione (PTAD) concentration at 540 nm