Electronic Supplementary Material (ESI) for RSC Advances. This journal is © The Royal Society of Chemistry 2016

Supporting Information

Palladium-Catalyzed Decarboxylative ortho-Aroylation of N-Acetyl-1, 2, 3, 4-

Tetrahydroquinolines with α-Oxoarylacetic Acids

Lu Han^{1,2}, Yahui Wang³, He Song^{1,2}, Huatao Han^{1,2}, Lulu Wang^{1,2}, Wenyi Chu*^{1,2} and

Zhizhong Sun* 1,2

¹School of Chemistry and Materials Science, Heilongjiang University, Harbin 150080, P. R. China
²Key Laboratory of Chemical Engineering Process and Technology for High-efficiency Conversion,
College of Heilongjiang Province, Harbin 150080, P. R. China
³Harbin Environmental Monitoring Central Station, Harbin 150076, P. R. China (E-mail: wenyichu@hlju.edu.cn, sunzz@hlju.edu.cn)

Table of content

Copies of ¹H and ¹³C NMR spectra





Figure S4. ¹³C NMR spectrum of compound 3b.



Figure S6. ¹³C NMR spectrum of compound 3c.



Figure S8. ¹H NMR spectrum of compound 3e



Figure S10. ¹H NMR spectrum of compound 3f



Figure S12. ¹H NMR spectrum of compound 3h



Figure S14. ¹H NMR spectrum of compound 3i



Figure S16. ¹H NMR spectrum of compound 3j







S11







Figure S26. ¹H NMR spectrum of compound 30





Figure S31. ¹³C NMR spectrum of compound 3q