

Supporting Information

N-(7-chloroquinolinyl-4-aminoalkyl)arylsulfonamides as antimalarial agents: Rationale for the Activity with reference to Inhibition of Hemozoin Formation



Saroj verma^a, Shashi Pandey^b, Pooja Agarwal^c, Pravesh Verma^d, Shreekant Deshpande^a, Jitendra Kumar Saxena^d, Kumkum Srivastava^b, Prem M.S. Chauhan^a, Yenamandra S Prabhakar^{a*}

^aMedicinal and Process Chemistry Division, ^bParasitology Division, ^cBiochemistry Division, Academy of Scientific and Innovative Research, CSIR-Central Drug Research Institute, Jankipuram Extension, Lucknow-226 031, India



AUTHOR INFORMATION

*Corresponding author, Phone:+91-522-2772450; Fax:+91-522-2771941; E-mail: yenpra@yahoo.com (Y.S. Prabhakar)



Representative ^1H NMR and ^{13}C NMR spectra of compounds





4-tert-butyl-N-(3-(7-chloroquinolin-4-ylamino)propyl)benzenesulfonamide (14).






4-tert-butyl-N-(2-(7-chloroquinolin-4-ylamino)ethyl)benzenesulfonamide (15).



4-bromo-N-(3-(7-chloroquinolin-4-ylamino)propyl)benzenesulfonamide (8).



4-bromo-N-(2-(7-chloroquinolin-4-ylamino)ethyl)benzenesulfonamide (9).



N-(3-(7-chloroquinolin-4-ylamino)propyl)-2,4,6-triisopropylbenzenesulfonamide (16)