

Supplementary data

The impact of zinc oxide nanoparticles on phosphorus removal and the microbial community in activated sludge in an SBR

Shutao Wang*, Weiqing Wang, Zhenrui Zhang, Hong You

(State Key Laboratory of Urban Water Resource and Environment, Harbin Institute of
Technology, Harbin 150090, China)

***Corresponding author: Shutao Wang**

E-Mail: wshutao@hit.edu.cn

Address: School of Municipal and Environmental Engineering, Harbin Institute of Technology, 73,
Huanghe Rd., Nangang Dist., Harbin 150090, China

Weiqing Wang

E-Mail: 734067974@qq.com

Address: School of Municipal and Environmental Engineering, Harbin Institute of Technology, 73,
Huanghe Rd., Nangang Dist., Harbin 150090, China

Zhenrui Zhang

E-Mail: zhang7610289@qq.com

Address: School of Municipal and Environmental Engineering, Harbin Institute of Technology, 73,
Huanghe Rd., Nangang Dist., Harbin 150090, China

Hong You

E-Mail: youhong@hit.edu.cn

Address: School of Marine Science and Technology, Harbin Institute of Technology at Weihai, Weihai
264209, China




Fig. S1. The setup of sequencing batch reactor (SBR)




Fig.S2 Richness rarefaction plot of species in the activated sludge




Fig.S3 Species distribution heatmap at the order level in the activated sludge




Fig.S4 Flora abundance at the order level in the activated sludge