

Magnetically separable graphene oxide anchored sulfonic acid: a novel, high efficient and recyclable catalyst for one-pot synthesis of 3,6-di(pyridin-3-yl)-1*H*-pyrazolo[3,4-*b*]pyridine-5-carbonitriles in deep eutectic solvent under microwave irradiation

Mo Zhang,^a Peng Liu,^a Yu-Heng Liu,^{*a,b} Ze-Ren Shang,^a Hai-Chuan Hu,^a Zhan-Hui Zhang^{*a}


^a College of Chemistry and Material Science, Hebei Normal University, Shijiazhuang 050024, P. R. China.

^b College of Preclinical Medicine, Hebei Medical University, Shijiazhuang 050017, P. R. China.



Table of Contents

Copies of NMR spectra for products.....	S1-S16
Copies of HRMS spectra for products.....	S17-S24



^1H NMR and ^{13}C NMR of compound **4a**





^1H NMR and ^{13}C NMR of compound **4b**





¹H NMR and ¹³C NMR of compound 4c





^1H NMR and ^{13}C NMR of compound **4d**





^1H NMR and ^{13}C NMR of compound **4e**





^1H NMR and ^{13}C NMR of compound **4f**





^1H NMR and ^{13}C NMR of compound **4g**





^1H NMR and ^{13}C NMR of compound **4h**





^1H NMR and ^{13}C NMR of compound **4i**





^1H NMR and ^{13}C NMR of compound **4j**





^1H NMR and ^{13}C NMR of compound **4k**





^1H NMR and ^{13}C NMR of compound **4l**





^1H NMR and ^{13}C NMR of compound **4m**




^1H NMR and ^{13}C NMR of compound **4n**




¹H NMR and ¹³C NMR of compound 4o



HRMS of 4a




HRMS of 4b




HRMS of 4c

Acquisition Parameter					
Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.8 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	180 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	1000 m/z	Set Collision Cell RF	150.0 Vpp	Set Divert Valve	Source




HRMS of 4d


Acquisition Parameter					
Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.8 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	180 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	1000 m/z	Set Collision Cell RF	150.0 Vpp	Set Divert Valve	Source




HRMS of 4e




HRMS of 4f




HRMS of 4g



HRMS of 4h




HRMS of 4i




HRMS of 4j

Acquisition Parameter


Source Type	ESI	Ion Polarity	Positive	Set Nebulizer	0.6 Bar
Focus	Active	Set Capillary	3500 V	Set Dry Heater	180 °C
Scan Begin	50 m/z	Set End Plate Offset	-500 V	Set Dry Gas	4.0 l/min
Scan End	1000 m/z	Set Collision Cell RF	150.0 Vpp	Set Divert Valve	Source




HRMS of 4k




HRMS of 4l



HRMS of 4m



HRMS of 4n



HRMS of 4o

