

## Efficient synthesis of novel 1,2,3-triazole-linked quinoxaline scaffold via copper-catalyzed click reactions


Ali Keivanloo<sup>\*a</sup>, Mohammad Bakherad<sup>a</sup>, Fateme Abbasi<sup>a</sup>, Tayebeh Besharati-Seidani<sup>a</sup>, Amir Hossein Amin<sup>a</sup>

### Characterization data and IR, <sup>1</sup>H NMR and <sup>13</sup>C NMR spectra of the title compounds:


---


[a] School of Chemistry, Shahrood University of Technology,  
Shahrood 36199-95161, Iran.  
Fax: +98-233-2395441  
E-mails: [keivanloo@shahroodut.ac.ir](mailto:keivanloo@shahroodut.ac.ir), [akeivanloo@yahoo.com](mailto:akeivanloo@yahoo.com)

Supporting information for this article is given via a link at the end.





**Figure 1:** IR spectrum of **3**






**Figure 2:**  $^1\text{H}$  NMR spectrum of **3**





**Figure 3:**  $^{13}\text{C}$  NMR spectrum of 3



**Figure 4:** IR spectrum of 4








Figure 5:  $^1\text{H}$  NMR spectrum of **4**




**Figure 6:**  $^{13}\text{C}$  NMR spectrum of **4**





**Figure 7:** IR spectrum of **6a**






**Figure 8:**  $^1\text{H}$  NMR spectrum of **6a**





**Figure 9:**  $^{13}\text{C}$  NMR spectrum of **6a**



**Figure 10:** IR spectrum of **6b**







Figure 11:  $^1\text{H}$  NMR spectrum of **6b**




**Figure 12:**  $^{13}\text{C}$  NMR spectrum of **6b**





**Figure 13:** IR spectrum of **6c**






**Figure 14:**  $^1\text{H}$  NMR spectrum of **6c**






**Figure 15:**  $^{13}\text{C}$  NMR spectrum of **6c**



**Figure 16:** IR spectrum of **6d**



**Figure 17:**  $^1\text{H}$  NMR spectrum of **6d**








Figure 18: IR spectrum of **6e**






**Figure 19:**  $^1\text{H}$  NMR spectrum of **6e**







**Figure 20:**  $^{13}\text{C}$  NMR spectrum of **6e**




**Figure 21:** IR spectrum of **7a**




**Figure 22:**  $^1\text{H}$  NMR spectrum of **7a**




**Figure 23:**  $^{13}\text{C}$  NMR spectrum of **7a**





**Figure 24:** IR spectrum of **7b**






**Figure 25:** <sup>1</sup>H NMR spectrum of 7b






**Figure 26:**  $^{13}\text{C}$  NMR spectrum of **7b**



**Figure 27:** IR spectrum of **7c**











Figure 29:  $^{13}\text{C}$  NMR spectrum of **7c**






**Figure 31:**  $^1\text{H}$  NMR spectrum of **7d**







**Figure 32:**  $^{13}\text{C}$  NMR spectrum of **7d**



**Figure 33:** IR spectrum of **8a**



**Figure 34:**  $^1\text{H}$  NMR spectrum of **8a**



sample was too dilute for  $^{13}\text{C}$ NMR.




Figure 35:  $^{13}\text{C}$  NMR spectrum of **8a**






Figure 36: IR spectrum of **8b**



**Figure 37:**  $^1\text{H}$  NMR spectrum of **8b**



**Figure 38:**  $^{13}\text{C}$  NMR spectrum of **8b**








Figure 39: IR spectrum of **8c**





**Figure 40:**  $^1\text{H}$  NMR spectrum of **8c**





**Figure 41:**  $^{13}\text{C}$  NMR spectrum of **8c**