Supporting Information For

Renewable High Density Fuels Containing Tricyclic Sesquiterpanes and Alkyl Diamondoids

Kale W. Harrison and Benjamin G. Harvey*

US NAVY, NAWCWD, Research Department, Chemistry Division, China Lake, California 93555

Contents

Figure S1.	¹ H NMR spectrum of cedarwood oil	S2
Figure S2.	¹ H NMR spectrum of hydrogenated cedarwood oil	S2
Figure S3.	¹³ C NMR spectrum of cedarwood oil	S3
Figure S4.	¹³ C NMR spectrum of hydrogenated cedarwood oil	S3
Figure S5.	¹ H NMR spectrum of α-cedrene	S4
Figure S6.	¹³ C NMR spectrum of α-cedrene	S4
Figure S7.	¹ H NMR spectrum of cedrane	S5
Figure S8.	¹³ C NMR spectrum of cedrane	S5
Figure S9.	¹ H NMR spectrum of ETMA	S6
Figure S10.	¹³ C NMR spectrum of ETMA	S6
Figure S11.	DSC data for hydrogenated cedarwood oil	S7
Figure S12.	DSC data for cedrane	S7
Figure S13.	DSC data for ETMA	S8



Figure S1. ¹H NMR spectrum of cedarwood oil



Figure S2. ¹H NMR spectrum of hydrogenated cedarwood oil



Figure S3. ¹³C NMR spectrum of cedarwood oil



Figure S4. ¹³C NMR spectrum of hydrogenated cedarwood oil



Figure S5. ¹H NMR spectrum of α -cedrene



Figure S6. ^{13}C NMR spectrum of $\alpha\text{-cedrene}$



Figure S7. ¹H NMR spectrum of cedrane



Figure S8. ¹³C NMR spectrum of cedrane



Figure S9. ¹H NMR spectrum of ETMA



Figure S10. ¹³C NMR spectrum of ETMA



Figure S11. DSC data for hydrogenated cedarwood oil



Figure S12. DSC data for cedrane



Figure S13. DSC data for ETMA