

Supporting information

Ring-opening crosslinking PEGylation of an AIE epoxy monomer towards biocompatible fluorescent nanoparticles

Chunping Ma,^a Xiqi Zhang,^{*b,c} Gaoyi Xie,^d Liutao Yang,^a Yang Li,^a Hongliang Liu,^b Ke Wang^{*e}
and Yen Wei^{*c}

^a College of Materials & Metallurgical Engineering, Guizhou Institute of Technology, Guiyang, 550003, P. R. China.

^b Laboratory of Bio-Inspired Smart Interface Science, Technical Institute of Physics and Chemistry, Chinese Academy of Sciences, Beijing, 100190, P. R. China.

^c Department of Chemistry and the Tsinghua Center for Frontier Polymer Research, Tsinghua University, Beijing, 100084, P. R. China.

^d National Engineering Research Center for Compounding and Modification of Polymer materials, R&D Department, Guiyang, 550014, Guizhou, P. R. China.

^e School of Pharmaceutical Sciences, Sun Yat-sen University, Guangzhou, 510006, P. R. China.

E-mail: xqzhang@mail.ipc.ac.cn (X. Zhang); wangke007@iccas.ac.cn (K. Wang); weiyen@tsinghua.edu.cn (Y. Wei).

Result




Fig. S1 Demonstration of AIE property of EP3, showing that PL intensity increases in a DMSO/hexane medium with the increasing hexane fraction.