

Supporting information

Targeting ligand-functionalized photothermal scaffolds for cancer cell capture and in-situ ablation

Jing Zhang,^{a,b} Jingchao Li,^{a,b} Xiuhui Wang,^{a,b} Naoki Kawazoe^a and Guoping Chen^{*a, b}

^a Research Center for Functional Materials, National Institute for Materials Science,
1-1 Namiki, Tsukuba, Ibaraki 305-0044, Japan

^b Department of Materials Science and Engineering, Graduate School of Pure and
Applied Sciences, University of Tsukuba, 1-1-1 Tennodai, Tsukuba, Ibaraki 305-8571,
Japan

Corresponding Author

E-mail: Guoping.Chen@nims.go.jp

Fax: +81-29-860-4673; Tel: +81-29-860-4496;




Figure S1. Calibration curve of FA absorption at 365 nm versus the FA concentration.




Fig. S2. Cell number in gelatin, gelatin/cFe₃O₄, CS-1, CS-2, CS-3, CS-4, CS-FA1, CS-FA2, CS-FA3 and CS-FA4 scaffolds after incubation with BAC cells for 30 min.




Figure S3. Cell viability of HeLa cells on gelatin, gelatin/cFe₃O₄, CS-1, CS-2, CS-3 and CS-4 without laser irradiation.