

Supplementary Information of 3D Hyperbranched Heterostructures of Ag Nanocrystals Decorated ZnO Nanopillars: Controlled Growth and Optical Properties Characterization

S. N. H. Daud^a, C. Y. Haw^{a,b,†}, W. S. Chiu^{a,*}, Z. Aspanut^a, N. A. Jani^{a,c}, P.

S. Khiew^d, Y. C. Lim^e, M. A. Abd. Hamid^e, A. M. Ali^f

^a*Low Dimensional Materials Research Centre, Department of Physics, Faculty of Science, University of Malaya, 50603, Lembah Pantai, Kuala Lumpur, Malaysia*

^b*School of Engineering, Xiamen University Malaysia, Jalan Sunsuria, Bandar Sunsuria, 43900 Sepang, Selangor, Malaysia*

^c*Faculty of Applied Sciences, University Teknologi MARA, Shah Alam, 40450, Selangor, Malaysia*

^d*Faculty of Engineering, University of Nottingham Malaysia Campus, 43500, Semenyih, Selangor, Malaysia*

^e*School of Applied Physics, Faculty of Science & Technology, Universiti Kebangsaan Malaysia, 43600, Bangi, Selangor, Malaysia*

^f*Physics Department, Faculty of Science, King Khalid University, Abha, 9004, Saudi Arabia*

*Corresponding author: *w.s.chiu@um.edu.my, †cyhaw@xmu.edu.my




Fig. S1. Magnified region of primary ZnO NPLs where the red dotted-circles show the rough surface or defects formed on the tips and upper half edges of nanopillars.




Fig. S2. XRD pattern of metallic Ag on the surface of Zn foil