Electronic Supporting Information

Quantitative investigation of C-H... π and other intermolecular interactions in a series of crystalline N-(substituted phenyl)-2-naphthamide derivatives.

Rahul Shukla^a, Aamer Saeed^{*b}, Jim Simpson^{*c} and Deepak Chopra^{*a} ^a Crystallography and Crystal Chemistry Laboratory, Department of Chemistry, IISER Bhopal, Bhopal 462066, Madhya Pradesh, India. E-mail: <u>dchopra@iiserb.ac.in</u>; Tel: +91 0755 669 1311

^b Department of Chemistry, Quaid-i-Azam University-45320, Islamabad, Pakistan E-mail <u>aamersaeed@yahoo.com</u> Fax +9251 9064 2241; Tel +9251 9064 2128 ^c Department of Chemistry, University of Otago, P.O. Box 56, Dunedin 9054, New Zealand

E-mail: jsimpson@alkali.otago.ac.nz; Fax +643 479 7906; Tel: +643 479 7914



Figure S1: (a)-(f) Motifs I-VI present in the crystal packing of 1.



Figure S2: (a)-(g) Motifs I-VII present in the crystal packing of 2.



Figure S3: (a)-(f) Motifs I-VI present in the crystal packing of 3.



Figure S4: (a)-(f) Motifs I-VIII present in the crystal packing of 4.



Figure S5: (a)-(p) Motifs I-XVI present in the crystal packing of 5.



Figure S6: (a)-(g) Motifs I-VII present in the crystal packing of 6



Figure S7: (a)-(g) Motifs I-VII present in the crystal packing of 7.



Figure S8: Isostructural comparison between 1 and 4.



Figure S9: Figure S8: Isostructural comparison between 1 and 6.



Figure S10: Figure S8: Isostructural comparison between 4 and 6.



Figure S11: Structures of a) RIXGUC b) RIXHAJ c) RIXHEN d) RIXHIR e) XAFBOY and f) XAFCAL



Figure S12: 2D Fingerprint plots for 1-7.