## **Electronic Supplementary Information**

## Iodide and Triiodide Anion Complexes Involving Anion- $\pi$ Interactions with a Tetrazine-based Receptor

Matteo Savastano,<sup>†</sup> Carla Bazzicalupi,<sup>†</sup> Celeste García,<sup>‡</sup> Cristina Gellini,<sup>†</sup> Maria Dolores López de la Torre,<sup>‡</sup> Palma Mariani,<sup>†</sup> Fabio Pichierri,<sup>§</sup> Antonio Bianchi,<sup>†</sup>\* Manuel Melguizo<sup>‡</sup>\*

<sup>†</sup>Department of Chemistry "Ugo Schiff", University of Florence, Via della Lastruccia 3, 50019, Sesto Fiorentino, Italy.


<sup>‡</sup>Department of Inorganic and Organic Chemistry, University of Jaén 23071, Jaén, Spain.

§Department of Applied Chemistry, Graduate School of Engineering, Tohoku University, Sendai 980-8579, Japan.

## **Table of Contents**

**Figure S1.** Crystal packing of compound **1**. Water---carbon (OW1---C9) contacts with the  $H_2L2I_2$  molecular system developing in the (002) plane.

Figure S2. Superimposition of ligand and water molecules of the crystalline structures 2 and 3.



**Figure S1.** Crystal packing of compound **1**. Water--carbon (OW1--C9) contacts with the  $H_2L2I_2$  molecular system developing in the (002) plane.




Figure S2. Superimposition of ligand and water molecules of the crystalline structures 2 and 3.