

Supporting Information

Covalently Immobilized Ionic Liquids on Single Layer Nanosheets for Heterogeneous Catalysis Applications

Yingjie Zhou,^{1,2} Jingjing Liu,¹ Rongcai Huang,¹ Meng Zhang,² Min Xiao,²
Yuezhong Meng,^{2,*} Luyi Sun^{1,*}

*¹Department of Chemical & Biomolecular Engineering and Polymer Program,
Institute of Materials Science, University of Connecticut, Storrs, Connecticut 06269,
United States*

*²The Key Laboratory of Low-carbon Chemistry & Energy Conservation of
Guangdong Province, State Key Laboratory of Optoelectronic Materials and
Technologies, School of Physics and Engineering, Sun Yat-sen University, Guangzhou
Guangdong 510275, China*

*³Department of Materials Physics, School of Physics and Optoelectronic Engineering,
Nanjing University of Information Science & Technology, 219 Ningliu Road, Nanjing,
Jiangsu 210044, China*

*Authors to whom correspondence should be addressed:

Dr. Luyi Sun, Tel: (860) 486-6895; Fax: (860) 486-4745; Email: luyi.sun@uconn.edu

Dr. Yuezhong Meng, Tel: (0086) 20-8411-4113; Fax: (0086) 20-8411-4113; Email:
mengyzh@mail.sysu.edu.cn




Figure 1S. ¹H NMR of SiIL.




Figure 2S. ¹³C NMR of SiIL.




Figure 3S. ¹H NMR of 2-propenoic acid-2-cyano-3-phenyl ethyl ester.