Antimicrobial activity of organometallic isonicotinyl and pyrazinyl ferrocenylderived complexes

Tameryn Stringer^a, Ronnett Seldon^b, Nicole Liu^c, Digby F. Warner^{d,e}, Christina Tam^f,

Luisa W. Cheng^f, Kirkwood M. Land^c, Peter J. Smith^g, Kelly Chibale^{a,b} and Gregory S. Smith^{a,*}

^aDepartment of Chemistry, University of Cape Town, Rondebosch, 7701, Cape Town, South Africa

^b Drug Discovery and Development Centre (H3-D), Department of Chemistry, University of Cape Town, Rondebosch, 7701, South Africa

^c Department of Biological Sciences, University of the Pacific, Stockton, CA 95211, USA

^d MRC/NHLS/UCT Molecular Mycobacteriology Research Unit, DST/NRF Centre of Excellence for Biomedical TB Re-search, Department of Pathology, University of Cape Town, Rondebosch, 7701, Cape Town, South Africa

^e Institute of Infectious Disease and Molecular Medicine, University of Cape Town, Rondebosch, 7701, Cape Town, South Africa

^fFoodborne Toxins Detection and Prevention Research Unit, Agricultural Research Service, United States Department of Agriculture, Albany, CA, 94710, USA

^gDivision of Pharmacology, Department of Medicine, University of Cape Town, Medical School, Observatory, 7925, Cape Town, South Africa

*G. S. S.: e-mail, gregory.smith@uct.ac.za; web, www.gregsmith-research.co.za; tel, +27 21 650 5279.

Supporting Information



Figure S1: NMR spectra of compound 2



Figure S2: NMR spectra of compound 3



Figure S3: NMR spectra of compound 4



Figure S4: NMR spectra of compound 5



Figure S5: NMR spectra of compound 6



Figure S6: NMR spectra of compound 7



Figure S7: NMR spectra of compound 8



Figure S8: NMR spectra of compound 9



Figure S9: HPLC trace of 1



Figure S10: HPLC trace of 2



Figure S11: HPLC trace of 3



Figure S12: HPLC trace of 4



Figure S13: HPLC trace of 5



Figure S14: HPLC trace of 6