Electronic Supporting Information

for

Synthesis and Characterization of Thallium-Salen Derivatives for Use as Underground Fluid Flow Tracers

by

Timothy J. Boyle,^{a*} Diana Perales,^a Jessica M. Rimsza,^c Todd M. Alam,^b Daniel M. Boye,^d Jeremiah M. Sears,^a Jeffery A. Greathouse,^c Richard A. Kemp^{a,e}

^a Sandia National Laboratories, Advanced Materials Laboratory Department, 1001 University Boulevard, SE, Albuquerque, NM 87106

^b Sandia National Laboratories, Organic Materials Science Department, PO Box 5800, MS 0886, Albuquerque, NM 87185-0866.

^c Sandia National Laboratories, Geochemistry Department, PO Box 5800, MS 0754, Albuquerque, NM 87185-0754.

^d Physics Department, Davidson College, Davidson, NC 28036

^e Department of Chemistry and Chemical Biology, University of New Mexico, 300 Terrace St. NE, Albuquerque, NM, 87131

List of Figures

- **Figure S1.** NMR spectrum of **1**: (a) 1 H and (b) ${}^{13}C{{}^{1}H}$.
- **Figure S2.** NMR spectrum of **2**: (a) 1 H and (b) 13 C{ 1 H}.
- **Figure S3.** Emission and excitation spectrum of: (a) H_2 -salo-Bu^t and (b) H_2 -saloPh-Bu^t



Figure S1. NMR spectrum of 1: (a) ${}^{1}H$ and (b) ${}^{13}C{}^{1}H$.



Figure S2. NMR spectrum of **2**: (a) 1 H and (b) 13 C{ 1 H}.

(b)







(b)

