Supplementary Information

Structural characterization of two endopolysaccharides from *Phellinus* sp. and their immunologic effects by intragastric administration in a healthy mammalian model

Xiao-kui Ma^a*, Yao Ma^a, Eric Charles Peterson^b, Wen ying Guo^a, Zhong Yu Li^c, Yu Li^d*

^a Key Laboratory of Medicinal Resources and Natural Pharmaceutical Chemistry, Ministry of Education, National Engineering Laboratory for Resource Developing of Endangered Chinese Crude Drugs in Northwest of China, College of Life Science, Shaanxi Normal University, Xi'an 710055, Shaanxi, People's Republic of China.
^b Department of Biochemical Engineering, Universidad Icesi, Cali, Colombia.
^c Xi'an Center of Geological Survey, China Geological Survey, Xi'an 710054, Shaanxi, People's Republic of China.
^d School of Science, Northwestern Polytechnical University, Xi'an, 710072 Shaanxi, People's Republic of China

Co-corresponding authors: Xiao-kui Ma

College of Life Sciences, Shaanxi Normal University, Xi'an 710062, Shaanxi, China

E-mail: biomarkuis@gmail.com or bioma2003@163.com

Tel: 86-029 85310266

Contents

Experimental section

NMR Spectroscopy Analysis

Figure S1 A. ¹H NMR spectrum of SHIP-1. B. ¹³C NMR spectrum of SHIP-1.

Figure S2 2D ¹H–¹³C HMBC spectrum of SHIP-1.

Figure S3 A. ¹H NMR spectrum of SHIP-2 (A). B. ¹³C NMR spectrum of SHIP-2.

Figure S4 2D ¹H-¹³C TOCSY spectrum of SHIP-2.

Results



Figure S1 A. ¹H NMR spectrum of SHIP-1. B. ¹³C NMR spectrum of SHIP-1.



Figure S2 2D ¹H–¹³C HMBC spectrum of SHIP-1.



Figure S3 A. ¹H NMR spectrum of SHIP-2 (A). B. ¹³C NMR spectrum of SHIP-2.



Figure S4 2D ¹H–¹³C TOCSY spectrum of SHIP-2.