Synthesis of benzo[*d*]thiazole-hydrazone analogues: Molecular docking and SAR studies of potential H⁺/K⁺-ATPase inhibitors and anti-inflammatory agents

Shi-Meng Wang¹, Gao-Feng Zha¹, K. P. Rakesh^{1*}, N. Darshini², T. Shubhavathi², H. K. Vivek³, N. Mallesha^{2*} and Hua-Li Qin^{1*}

¹School of Chemistry, Department of Pharmaceutical Engineering, Chemical Engineering and Life Science, Wuhan University of Technology, 205 Luoshi Road, Wuhan, 430073, PR

China

² SRI RAM CHEM, R & D Centre, Plot No. 31, JCK Industrial Park, Belagola Industrial Area, Mysore 570016, Karnataka, India

³Department of Biotechnology, Sri Jayachamarajendra College of Engineering, Mysuru-570006, Karnataka, India

Corresponding authors

*Email: rakeshasg@gmail.com


*Email: research@sriramchem.com


Tel.: +91-821-4255588


*Email: qinhuali@whut.edu.cn


Fax: +86 27 87749300.


¹H, ¹³C and mass spectra of synthesized compounds





















¹H NMR spectra of compound no 3




¹³C NMR spectra of compound no 3
















Mass spectra of compound no 5


















¹³C NMR spectra of compound no 9











Mass spectra of compound no 10
























































¹³C NMR spectra of compound no 25

