

Fig. S1




Table S1

	Sequence (5'-3')	
	Forward	Reverse
NRF-1	CCAAGATGCTAATGGCCTGGTC	TCCAATGTCACCACCTCCACA
DNMT1	TTCTTCGCAGAGCAAATTG	TGCCACCAAATTTAACCATGTC
DNMT3A	GGTGCTGTCTCTCTTTGATG	ATGCTTCTGTGTGACGCTG
DNMT3B	GGAAGGAGTTTGGAATAGGG	CCAGTGCCACCAGTTTGTC
TET1	CCTTTGGGAACCGACTCCTC	CACAAGGTTTTGGTCGCTGG
TET2	CCCCGCTGAGTGATGAGAAC	GAATGTTTGCCAGCCTCGTTC
TET3	CAACGGCTGCAAGTATGCTC	TCGTTGGTCACCTGGTTCTG
RPL13A	GGAGGAGGAGAGGAAAGAGA	TTGAGGACCTCTGTGTATTTGTCAA
NRF-1 for Bisulfite	GGAAAGTAGAGGTTATTTAAAGA	TAAAACACTCACCTCAAAAC
NRF-1 for ChIP	TCGCGTGCGTGCCCTCT	GCTGGAGATTGCGCGGTAG

Table S1. Sequences of primers used for experiments.