

Supporting Information for

Visible-light-driven photocatalytic reduction of Cr (VI) on magnetite/carboxylate-rich carbon sheets

Zhijun Luo ^{a,b,c}, Jing Wang ^a, Lingling Qu ^d, Jianzhong Jia ^a, Suying Jiang ^{b,c}, Xiangtong Zhou
^a, Xiangyang Wu ^{a*}, Zhiren Wu ^{a,b,c*}

^a School of The Environment, Jiangsu University, Zhenjiang, 212013 P. R. China;

E-mail address: wwu5353@j-c-k.co.jp

^b Engineering Technology Center for Heavy Metal Wastewater Treatment and Recovery, Environmental Protection Department of Jiangsu Province, Yixing, 212013 P. R. China;

^c Jiangsu ATK Environment Engineering Design and Research Institute Co., LTD, Yixing, 212013 P. R. China;

^d School of Chemistry and Chemical Engineering, Jiangsu University, Zhenjiang, 212013 P. R. China;




Fig. S1. Nitrogen adsorption/desorption isotherms of MCRCS_s




Fig. S2. (a and b) SEM images, SEM image (c) and the corresponding EDS mapping data for Cr (d) of MCRCS_s obtained after four cycles of the photoreduction of Cr(VI)