

Supporting Information For

Plasticization and thermal behavior of hydroxyl and nitrogen rich groups-containing
tung-oil-based esters plasticizers for PVC

Mei Wang ^a, Xianghai Song ^{b,1}, Jianchun Jiang ^a, Jianling Xia ^{a,c}, Haiyang Ding ^a, Mei
Li^{a,*}

^a Institute of Chemical Industry of Forestry Products, CAF; Key Lab. of Biomass
Energy and Material, Jiangsu Province; National Engineering Lab. for Biomass
Chemical Utilization; Key and Lab. on Forest Chemical Engineering, SFA, Nanjing
210042, PR China

^b School of Chemistry and Chemical Engineering, Southeast University, Nanjing
211189, China.

^c Institute of Forest New Technology, CAF, Beijing 100091, PR China



¹Xianghai Song contributes to this paper the same as the first author (Mei Wang).

Corresponding author at: Institute of Chemical Industry of Forestry Products, Chinese
Academy of Forestry, No. 16 Suojin 5th village, Nanjing
210042, PR China.

E-mail address: meiyu20032001@126.com (M. Li).

Number of pages in the supporting information: 3

Number of figures in the supporting information: 1






Fig. S1. ^1H NMR spectra of HHTT (a), TMA (b), HTMA-1 (c) and GEHTMA-1 (d)