Synthesis of Thorium-Ethanolamine nanocomposite by co-precipitation method and its application for Cr(VI) removal

Sumanta Sahu, Uttam Kumar Sahu, Raj Kishore Patel*

Department of Chemistry, National Institute of Technology, Rourkela, India

Total no of pages 3 (excluding cover page)

No of figures: 5

*Corresponding author: E-mail: rkpatel@nitrkl.ac.in,

Author: imsumantasahu@gmail.com

Address: Prof. R.K Patel

Department of chemistry,

National Institute of Technology, Rourkela, Odisha, India

Phone: +91-0661-246-2652, +91-9237194381

Fax: +91-0661-246-2651

Supplementary Information




Figure S1 Speciation curve of Chromium in different pH




Figure S2 Removal % of ThO₂ and Th–ETH (a) and Absorption spectra of Th-ETH after adsorption of Cr(VI) (b) with variation of concentration




Figure S3 Removal % of ThO₂ and Th–ETH (a) and Absorption spectra of Th-ETH after adsorption of Cr(VI) (b) with variation of adsorbent dosage.




Figure S4 Removal % of ThO₂ and Th–ETH (a) and Absorption spectra of Th-ETH after adsorption of Cr(VI) (b) with variation of time




Figure S5 Van't Hoff plot for the Th-ETH