



Natural Product Reports

REVIEW

Supplementary Information for

Diterpenoids from *Isodon* species: An update

Miao Liu,^{a,b} Wei-Guang Wang,^a Han-Dong Sun,^a and Jian-Xin Pu^{a*}

^a State Key Laboratory of Phytochemistry and Plant Resources in West China, Kunming Institute of Botany, Chinese Academy of Sciences, Kunming, 650201, Yunnan, P. R. China.

^b University of Chinese Academy of Sciences, Beijing, 100049, P. R. China.

E-mail: pujianxin@mail.kib.ac.cn; Tel: +86 871 65223616

Table S1: *ent*-kauranoids from *Isodon* species.

No.	Names	Species	Regions	Ref.
1	Excisusin F	<i>I. excisus</i>	Unknown	38
2	Albopilosin B	<i>I. albopilosus</i>	Maoxian, Sichuan Prov.	40
3	Albopilosin C	<i>I. albopilosus</i>	Maoxian, Sichuan Prov.	40
4	Albopilosin D	<i>I. albopilosus</i>	Maoxian, Sichuan Prov.	40
5	Albopilosin E	<i>I. albopilosus</i>	Maoxian, Sichuan Prov.	40
6	Albopilosin F	<i>I. albopilosus</i>	Maoxian, Sichuan Prov.	40
7	Albopilosin G	<i>I. albopilosus</i>	Maoxian, Sichuan Prov.	40
8	Albopilosin H	<i>I. albopilosus</i>	Maoxian, Sichuan Prov.	40
9	Albopilosin I	<i>I. albopilosus</i>	Maoxian, Sichuan Prov.	40
10	Albopilosin J	<i>I. albopilosus</i>	Maoxian, Sichuan Prov.	40
11	Phyllostachysin D	<i>I. phyllostachys</i>	Zhongdian, Yunnan Prov.	41
12	Phyllostachysin E	<i>I. phyllostachys</i>	Zhongdian, Yunnan Prov.	41
13	Phyllostachysin F	<i>I. phyllostachys</i>	Zhongdian, Yunnan Prov.	41
14	Phyllostachysin G	<i>I. phyllostachys</i>	Zhongdian, Yunnan Prov.	41
15	Phyllostachysin H	<i>I. phyllostachys</i>	Zhongdian, Yunnan Prov.	41
16	Parvifoline Z	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	42
17	Racemosin A	<i>I. racemosa</i>	Xinglong Mountain, Gansu Prov.	44
18	Excisoidesin A	<i>I. excisoides</i>	Luanchuan, Henan Prov.	45
19	Excisusin A	<i>I. excisus</i>	Hwacheon, Kangwondo, Korea	39
20	Excisusin B	<i>I. excisus</i>	Hwacheon, Kangwondo, Korea	39
21	Excisusin C	<i>I. excisus</i>	Hwacheon, Kangwondo, Korea	39
22	Excisusin D	<i>I. excisus</i>	Hwacheon, Kangwondo, Korea	39
23	Excisusin E	<i>I. excisus</i>	Hwacheon, Kangwondo, Korea	39
24	glaucocalyxin F	<i>I. japonica</i> var. <i>glaucocalyx</i>	Anshan, Liaoning Prov.	48/49
25	glaucocalyxin X	<i>I. japonica</i> var. <i>glaucocalyx</i>	Anshan, Liaoning Prov.	48/49
26	Minheryin H	<i>I. henryi</i>	Minhe, Qinghai Prov.	54
27	Minheryin I	<i>I. henryi</i>	Minhe, Qinghai Prov.	54
28	Nervonin B	<i>I. nervosus</i>	Xichang, Sichuan Prov.	56
29	Nervonin C	<i>I. nervosus</i>	Xichang, Sichuan Prov.	56
30	Nervonin D	<i>I. nervosus</i>	Xichang, Sichuan Prov.	56

31	Nervonin E	<i>I. nervosus</i>	Xichang, Sichuan Prov.	56
32	Nervonin F	<i>I. nervosus</i>	Xichang, Sichuan Prov.	56
33	Nervonin G	<i>I. nervosus</i>	Xichang, Sichuan Prov.	56
34	Nervonin H	<i>I. nervosus</i>	Xichang, Sichuan Prov.	56
35	Nervonin I	<i>I. nervosus</i>	Xichang, Sichuan Prov.	56
36	Nervonin J	<i>I. nervosus</i>	Xichang, Sichuan Prov.	56
37	Pharicinin B	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	57
38	Pharicinin C	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	57
39	Pharicunin N	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	59
40	Pharicunin O	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	59
41	Pharicunin P	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	59
42	Pharicunin Q	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	59
43	Pharicunin R	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	59
44	3-Epipseurata B	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	60
45	12- <i>O</i> -acetylpsaurata B	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	60
46	7- <i>O</i> -Acetylpsaurata C	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	60
47	3 β ,14 β ,15 β -Trihydroxy- <i>ent</i> -kaur-16-en-12-one	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	60
48	3 β ,12 α ,15 β -Trihydroxy-14 β -acetoxo- <i>ent</i> -kaur-16-ene	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	60
49	3 α ,7 α ,14 β ,15 β -Tetrahydroxy- <i>ent</i> -kaur-16-en-12-one	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	60
50	12-Deoxyisodomedin	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	60
51	Dihydropseurata F	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	60
52	17-Methoxydihydropseurata C	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	60
53	Pseurata B acetonide	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	60
54	3-Epipseurata B acetonide	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	60
55	12-Deoxyisodomedin acetonide	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	60
56	Pseurata B acetal	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	60
57	Isoscoparin D	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	64
58	Isoscoparin E	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	64
59	Isoscoparin F	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	64
60	Isoscoparin G	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	64
61	Isoscoparin H	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	64
62	Isoscoparin I	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	64
63	Isoscoparin J	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	64
64	Isoscoparin K	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	64
65	Isoscoparin L	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	64
66	Minheryin A	<i>I. henryi</i>	Minhe, Qinghai Prov.	55
67	Minheryin B	<i>I. henryi</i>	Minhe, Qinghai Prov.	55
68	Minheryin C	<i>I. henryi</i>	Minhe, Qinghai Prov.	55
69	Minheryin D	<i>I. henryi</i>	Minhe, Qinghai Prov.	55
70	Minheryin E	<i>I. henryi</i>	Minhe, Qinghai Prov.	55
71	Minheryin F	<i>I. henryi</i>	Minhe, Qinghai Prov.	55
72	Minheryin G	<i>I. henryi</i>	Minhe, Qinghai Prov.	55
73	Taihangexcisoidesin A	<i>I. excisoides</i>	Taihang Mountains, Henan Prov.	46
74	Sculponeatin N ₁	<i>I. sculponeata</i>	Yunnan Prov.	65
75	Sculponeatin O	<i>I. sculponeata</i>	Yunnan Prov.	65
76	Maoesin E	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
77	Pharicinin D	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	58
78	Pharicinin E	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	58
79	Pharicinin D acetal	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	58
80	Isoleuconin A	<i>I. leucophyllus</i>	Shangri-La, Yunnan Prov.	68
81	Isoleuconin B	<i>I. leucophyllus</i>	Shangri-La, Yunnan Prov.	68
82	Isoleuconin C	<i>I. leucophyllus</i>	Shangri-La, Yunnan Prov.	68
83	Isoadenolin N	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	69
84	Isoadenolin O	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	69

85	Pseurata H	<i>I. pharicus</i>	Tibet Autonomous region	62
86	3 α ,17-dihydroxy-15(16)-ene-ent-kaur-7-one	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	67
87	Jianshirubetin G	<i>I. rubescens</i>	Jianshi, Hubei Prov.	70
88	1 α ,7 α ,12 α ,14 β ,19-Pentahydroxy-3 β -acetoxy-ent-kaur-16-en-15-one	<i>I. pharicus</i>	Lhasa, Tibet Autonomous Region	61
89	7 α ,12 α ,14 β -Trihydroxy-3 β -acetoxy-ent-kaur-16-en-15-oxo-19-al	<i>I. pharicus</i>	Lhasa, Tibet Autonomous Region	61
90	3 β ,7 α ,14 β ,19-Tetrahydroxy-ent-kaur-16-en-12,15-dione	<i>I. pharicus</i>	Lhasa, Tibet Autonomous Region	61
91	7 α ,14 β ,15 β -Trihydroxy-3 β ,19-diacetoxy-ent-kaur-16-en-12-one	<i>I. pharicus</i>	Lhasa, Tibet Autonomous Region	61
92	16(S)-7 α ,14 β -Dihydroxy-3 β ,19-diacetoxy-17-methoxy-ent-kaur-12,15-dione	<i>I. pharicus</i>	Lhasa, Tibet Autonomous Region	61
93	Pharicinin F acetonide	<i>I. pharicus</i>	Lhasa, Tibet Autonomous Region	61
94	Isopharicinin F acetonide	<i>I. pharicus</i>	Lhasa, Tibet Autonomous Region	61
95	Pharicinin D acetonide	<i>I. pharicus</i>	Lhasa, Tibet Autonomous Region	61
96	Glaucocalyxin H	<i>I. japonica</i> var. <i>glaucocalyx</i>	Weihui, Henan Prov.	50/51
97	Glaucocalyxin I	<i>I. japonica</i> var. <i>glaucocalyx</i>	Weihui, Henan Prov.	50/51
98	Glaucocalyxin J	<i>I. japonica</i> var. <i>glaucocalyx</i>	Weihui, Henan Prov.	50/51
99	Glaucocalyxin G	<i>I. japonica</i> var. <i>glaucocalyx</i>	Antu, Jilin Prov.	52/53
100	Hubeirubetin A	<i>I. rubescens</i>	Jianshi, Hubei Prov.	71
101	Hubeirubetin B	<i>I. rubescens</i>	Jianshi, Hubei Prov.	71
102	3 α ,14 β ,16 α -trihydroxy-ent-kaurane	<i>I. japonica</i>	Yuntai Mountain, Henan Prov.	72
103	Pseurata I	<i>I. pharicus</i>	Tibet Autonomous region	103
104	Wikstroemioidin E	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
105	Wikstroemioidin F	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
106	Wikstroemioidin G	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
107	Wikstroemioidin H	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
108	Wikstroemioidin I	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
109	Wikstroemioidin J	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
110	Wikstroemioidin K	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
111	Wikstroemioidin L	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
112	Wikstroemioidin M	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
113	Wikstroemioidin N	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
114	Wikstroemioidin O	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
115	Wikstroemioidin P	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
116	Wikstroemioidin Q	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
117	Wikstroemioidin R	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
118	Wikstroemioidin S	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
119	3 α ,7 β -Dihydroxy-ent-kaur-16-en-15-one	<i>I. adenantha</i>	Cangshan, Yunnan Prov.	74
120	1 α -Hydroxy-8(17)-3 β ,7 β ,11 β ,15 β -tetraacetoxy-ent-kaur-16-en-15-one	<i>I. adenantha</i>	Cangshan, Yunnan Prov.	74
121	Parvifolin	<i>I. parvifolia</i>	Qinling Mountain, Shanxi Prov.	43
122	Tenuifolin A	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
123	Tenuifolin B	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
124	Tenuifolin C	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
125	Tenuifolin D	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
126	Tenuifolin E	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
127	Tenuifolin F	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
128	Tenuifolin G	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
129	Tenuifolin H	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
130	Tenuifolin I	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
131	Tenuifolin J	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
132	Tenuifolin K	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
133	Tenuifolin L	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
134	Tenuifolin M	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
135	Maoecrystal X	<i>I. eriocalyx</i>	Lijing, Yunnan Prov.	76

136	Maoecrystal Y	<i>I. eriocalyx</i>	Lijiang, Yunnan Prov.	76
137	3-acetylmaoecrystal S	<i>I. eriocalyx</i>	Lijiang, Yunnan Prov.	77
138	Maoesin B	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
139	Maoesin C	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
140	Maoesin D	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
141	6-acetylmaoecrystal B	<i>I. eriocalyx</i>	Guiyang, Gouzhou Prov.	78
142	Dayecrystal B	<i>I. macrophyllus</i>	Tongbai, Henan Prov.	79
143	Parvifoline C	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	80
144	Parvifoline D	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	80
145	Parvifoline E	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	80
146	Parvifoline F	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	80
147	Parvifoline G	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	80
148	Parvifoline H	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	80
149	Parvifoline I	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	80
150	Parvifoline J	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	80
151	Parvifoline K	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	80
152	Parvifoline O	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	81
153	Parvifoline P	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	81
154	Parvifoline Q	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	81
155	Parvifoline R	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	81
156	Parvifoline S	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	81
157	Parvifoline T	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	81
158	Parvifoline U	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	81
159	Parvifoline V	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	81
160	Parvifoline W	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	81
161	Hebeirubescensin A	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	82
162	Hebeirubescensin B	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	82
163	Hebeirubescensin C	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	82
164	Hebeirubescensin D	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	82
165	Hebeirubescensin E	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	82
166	Hebeirubescensin F	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	82
167	Hebeirubescensin G	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	82
168	Hebeirubescensin H	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	82
169	Hebeirubescensin I	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	82
170	Hebeirubescensin J	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	82
171	Hebeirubescensin K	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	82
172	Hebeirubescensin L	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	82
173	11,15- <i>O,O</i> -diacetyl-rabdotermin D	<i>I. rubescens</i>	Cultivated in Henan Prov.	83
174	16,17-exo-epoxide-oridonin	<i>I. rubescens</i>	Cultivated in Henan Prov.	83
175	Jiyuanoridonin A	<i>I. rubescens</i>	Jiyuan, Henan Prov.	84
176	Xerophilusin III	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	85
177	Xerophilusin IV	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	85
178	Xerophilusin V	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	85
179	Xerophilusin VI	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	85
180	Xerophilusin VII	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	85
181	Xerophilusin VIII	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	85
182	Xerophilusin IX	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	85
183	Xerophilusin X	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	85
184	Xerophilusin XI	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	85
185	Xerophilusin XII	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	85
186	Xerophilusin XIII	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	85
187	Xerophinoid B	<i>I. xerophilus</i>	Jianshui, Yunnan Prov.	86
188	Phyllostacin C	<i>I. phyllostachys</i>	Zhongdian, Yunnan Prov.	87
189	Phyllostacin D	<i>I. phyllostachys</i>	Zhongdian, Yunnan Prov.	87
190	Phyllostacin F	<i>I. phyllostachys</i>	Lijiang, Yunnan Prov.	88
191	Phyllostacin G	<i>I. phyllostachys</i>	Lijiang, Yunnan Prov.	88
192	Isodojaponin A	<i>I. japonica</i>	Hwacheon, Kangwondo, Korea	89

193	Isodojaponin B	<i>I. japonica</i>	Hwacheon, Kangwondo, Korea	89
194	Isojaponin C	<i>I. japonica</i>	Qinling Mountain, Shanxi Prov.	90
195	Hikiokoshin D	<i>I. japonica</i>	cultivated, Hokkaido University	91
196	Hikiokoshin E	<i>I. japonica</i>	cultivated, Hokkaido University	91
197	Hikiokoshin F	<i>I. japonica</i>	cultivated, Hokkaido University	91
198	Hikiokoshin G	<i>I. japonica</i>	cultivated, Hokkaido University	91
199	Hikiokoshin H	<i>I. japonica</i>	cultivated, Hokkaido University	91
200	Hikiokoshin I	<i>I. japonica</i>	cultivated, Hokkaido University	91
201	Maoyecrystal L	<i>I. japonica</i>	Tongbai, Henan Prov.	92
202	6 β ,7 β ,13 α -trihydroxy-1 α -acetoxy-7 α ,20-epoxy- <i>ent</i> -kaur-16-en-15-one	<i>I. nervosus</i>	Tongbai, Henan Prov.	93/94
203	Laxiflorin T	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	98
204	Neolaxiflorin G	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	99
205	Neolaxiflorin H	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	99
206	Neolaxiflorin I	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
207	Neolaxiflorin J	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
208	Neolaxiflorin K	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
209	Neolaxiflorin L	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
210	Neolaxiflorin M	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
211	Neolaxiflorin N	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
212	Neolaxiflorin O	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
213	Neolaxiflorin P	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
214	Neolaxiflorin Q	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
215	Neolaxiflorin R	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
216	Neolaxiflorin S	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
217	Neolaxiflorin T	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
218	Neolaxiflorin U	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
219	Neolaxiflorin V	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
220	Neolaxiflorin W	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
221	Neolaxiflorin X	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
222	Neolaxiflorin Y	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	100
223	rabdonervosin D	<i>I. nervosus</i>	Yifeng, Jiangxi Prov.	95
224	rabdonervosin G	<i>I. nervosus</i>	Yifeng, Jiangxi Prov.	96
225	7 β ,12 α -dihydroxy-6 β ,15 β -diacetoxy-7 α ,20-epoxy- <i>ent</i> -kaur-2,16-dien-1-one	<i>I. nervosus</i>	Tongbai, Henan Prov.	97
226	Sculponin K	<i>I. sculponeata</i>	Xichang, Sichuan Prov.	101
227	Sculponin Y	<i>I. sculponeata</i>	Muli, Sichuan Prov.	102
228	Sculponin Z	<i>I. sculponeata</i>	Muli, Sichuan Prov.	102
229	Sinuolatin B	<i>I. sinuolata</i>	Shangri-La, Yunnan Prov.	103
230	Sinuolatin C	<i>I. sinuolata</i>	Shangri-La, Yunnan Prov.	103
231	Sinuolatin D	<i>I. sinuolata</i>	Shangri-La, Yunnan Prov.	103
232	Sculponin W	<i>I. sculponeata</i>	Muli, Sichuan Prov.	102
233	Sculponin L	<i>I. sculponeata</i>	Xichang, Sichuan Prov.	101
234	Sculponin X	<i>I. sculponeata</i>	Muli, Sichuan Prov.	102
235	Sinuolatin A	<i>I. sinuolata</i>	Shangri-La, Yunnan Prov.	103
236	Taihangexcisoidesin C	<i>I. excisoides</i>	Taihang Mountains, Henan Prov.	104/105
237	Rubluanin D	<i>I. rubescens</i> var. <i>lushanensis</i>	Luanchuan, Henan Prov.	107
238	Isolushinin B	<i>I. rubescens</i> var. <i>lushiensis</i>	Lushi, Henan Prov.	108
239	Isolushinin C	<i>I. rubescens</i> var. <i>lushiensis</i>	Lushi, Henan Prov.	108
240	Rubluanin A	<i>I. rubescens</i> var. <i>lushanensis</i>	Luanchuan, Henan Prov.	107
241	Rubluanin B	<i>I. rubescens</i> var. <i>lushanensis</i>	Luanchuan, Henan Prov.	107
242	Rubluanin C	<i>I. rubescens</i> var. <i>lushanensis</i>	Luanchuan, Henan Prov.	107
243	Isolushinin D	<i>I. rubescens</i> var. <i>lushiensis</i>	Lushi, Henan Prov.	108
244	Isolushinin E	<i>I. rubescens</i> var. <i>lushiensis</i>	Lushi, Henan Prov.	108
245	Isolushinin F	<i>I. rubescens</i> var. <i>lushiensis</i>	Lushi, Henan Prov.	108
246	1 α -acetoxy-14 β -hydroxy-7 α ,20-epoxy- <i>ent</i> -kaur-16-en-15-one	<i>I. excisoides</i>	Luanchuan, Henan Prov.	106

247	15-acetyldemethylkamebacetal A	<i>I. inflexus</i>	Jeju, Korea	109
248	Isoadenolin D	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	110
249	Isoadenolin E	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	110
250	Isoadenolin F	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	110
251	Isoadenolin G	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	110
252	Isoadenolin H	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	110
253	Isoadenolin I	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	110
254	Isoadenolin J	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	110
255	Isoadenolin K	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	110
256	Isorosthin K	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
257	Isorosthin L	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
258	Isorosthin F	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
259	Isorosthin G	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
260	Isorosthin H	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
261	Isorosthin I	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
262	Isorosthin M	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
263	Isorosthin N	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
264	Isorosthin O	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
265	6 β ,14 α -dihydroxy-1 α ,7 β -diacetoxy-7 α ,20-epoxy- <i>ent</i> -kaur-16-en-15-one	<i>I. serra</i>	Luofu mountain, Guangdong	112
266	Effusanin F	<i>I. serra</i>	Luofu mountain, Guangdong	113
267	Isodonhenrin D	<i>I. henryi</i>	Sichuan Prov.	114
268	Isowikstroemin A	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	115
269	Isowikstroemin B	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	115
270	Isowikstroemin C	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	115
271	Isowikstroemin D	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	115
272	Isowikstroemin E	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	115
273	Isowikstroemin F	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	115
274	Isowikstroemin G	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	115
275	15-acetylmegathyrin B	<i>I. serra</i>	E'mei Mountain, Sichuan Prov.	116
276	Serrin E	<i>I. serra</i>	E'mei Mountain, Sichuan Prov.	116
277	14 β -hydroxyrabdocoestin A	<i>I. serra</i>	E'mei Mountain, Sichuan Prov.	116
278	Serrin F	<i>I. serra</i>	E'mei Mountain, Sichuan Prov.	116
279	Serrin G	<i>I. serra</i>	E'mei Mountain, Sichuan Prov.	116
280	11- <i>epi</i> -rabdocoestin A	<i>I. serra</i>	E'mei Mountain, Sichuan Prov.	116
281	Serrin H	<i>I. serra</i>	E'mei Mountain, Sichuan Prov.	116
282	Serrin I	<i>I. serra</i>	E'mei Mountain, Sichuan Prov.	116
283	15-acetylenanderianin N	<i>I. serra</i>	E'mei Mountain, Sichuan Prov.	116
284	6 β ,13 α ,15 β -trihydroxy-16-ene-3 α ,20-epoxy- <i>ent</i> -kaur-1,7-dione	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	67
285	6-hydroxy-3 α ,20-epoxy-5(6)-ene- <i>ent</i> -kaur-1,7,15-trione	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	67
286	6-hydroxy-15 β -acetoxy-3 α ,20-epoxy-16 β ,17-epoxy-5(6)-ene- <i>ent</i> -kaur-1,7-dione	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	67
287	Laxiflorin R	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	117
288	Jianshirubetin H	<i>I. rubescens</i>	Jianshi, Hubei Prov.	70
289	Isorosthornin F	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	119
290	Rabdonervosin J	<i>I. nervosus</i>	Yifeng, Jiangxi Prov.	96
291	Laxiflorol B	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	118
292	Jianshirubetin D	<i>I. rubescens</i>	Jianshi, Hubei Prov.	120
293	Jianshirubetin E	<i>I. rubescens</i>	Jianshi, Hubei Prov.	120
294	Jianshirubetin F	<i>I. rubescens</i>	Jianshi, Hubei Prov.	120
295	Isorosthornin E	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	119
296	Isowikstroemin H	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	121
297	Isowikstroemin I	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	121
298	Isowikstroemin J	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	121
299	Isowikstroemin K	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	121

300	Isowikstroemin L	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	121
301	Isowikstroemin M	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	121
302	Isolushinin A	<i>I. rubescens</i> var. <i>lushiensis</i>	Lushi, Henan Prov.	108
303	Phyllostacin H	<i>I. phyllostachys</i>	Lijiang, Yunnan Prov.	88
304	Phyllostacin I	<i>I. phyllostachys</i>	Lijiang, Yunnan Prov.	88
305	Isoadenolin A	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	110
306	Isoadenolin B	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	110
307	Isoadenolin C	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	110
308	Isorosthornin A	<i>I. rosthornii</i>	Sichuan Prov.	124
309	Isorosthornin B	<i>I. rosthornii</i>	Sichuan Prov.	124
310	Isorosthornin C	<i>I. rosthornii</i>	Sichuan Prov.	124
311	Jianshirubesin I	<i>I. rubescens</i>	Jianshi, Hubei Prov.	70
312	Isodonhenrin C	<i>I. henryi</i>	Sichuan Prov.	114
313	Rabdonervosin E	<i>I. nervosus</i>	Yifeng, Jiangxi Prov.	95
314	Isorosthin J	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
315	Sculponin U	<i>I. sculponeata</i>	Muli, Sichuan Prov.	102
316	Sculponin V	<i>I. sculponeata</i>	Muli, Sichuan Prov.	102
317	Isoadenolin L	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	110
318	Isodonhenrin E	<i>I. henryi</i>	Sichuan Prov.	114
319	Isolushinin G	<i>I. rubescens</i> var. <i>lushiensis</i>	Lushi, Henan Prov.	108
320	Isolushinin H	<i>I. rubescens</i> var. <i>lushiensis</i>	Lushi, Henan Prov.	108
321	Isolushinin I	<i>I. rubescens</i> var. <i>lushiensis</i>	Lushi, Henan Prov.	108
322	Isolushinin J	<i>I. rubescens</i> var. <i>lushiensis</i>	Lushi, Henan Prov.	108
323	Wikstroemioidin T	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
324	Wikstroemioidin U	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
325	Wikstroemioidin V	<i>I. wikstroemioides</i>	Ranwu, Sichuan Prov.	73
326	Xerophilinoid A	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	86
327	Xerophilusin I	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	85
328	Xerophilusin II	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	85
329	<i>ent</i> -7 α ,14 β -dihydroxykaur-16-en-15-one-20-oic acid	<i>I. excisoides</i>	Enshi, Hubei, Prov.	125
330	1 α ,7 α ,14 β -trihydroxy-20-acetoxy- <i>ent</i> -kaur-15-one	<i>I. excisoides</i>	Luanchuan, Henan Prov.	106
331	1 α ,7 α ,14 β ,18-tetrahydroxy-20-acetoxy- <i>ent</i> -kaur-15-one	<i>I. excisoides</i>	Luanchuan, Henan Prov.	106
332	<i>ent</i> -1 α ,7 α ,14 β ,20-tetrahydroxy-11,16-kauradien-15-one	<i>I. serra</i>	Anguo herbal market, Hebei Prov.	126
333	Dayecrystal A	<i>I. macrophyllus</i>	Tongbai, Henan Prov.	79
334	Lophanthodin G	<i>I. lophanthoides</i> var. <i>geradianus</i>	Baoshan, Yunnan Prov.	127
335	Luanchunin B	<i>I. rubescens</i> var. <i>lushanensis</i>	Lushan, Henan Prov.	128
336	1,7 α ,12 β ,14 β -tetrahydroxy-1,10-seco- <i>ent</i> -kaur-10,16-dien-15-one	<i>I. excisoides</i>	Enshi, Hubei Prov.	125
337	Phyllostacin A	<i>I. phyllostachys</i>	Zhongdian, Yunnan Prov.	129
338	Phyllostacin B	<i>I. phyllostachys</i>	Zhongdian, Yunnan Prov.	129
339	15 α ,20 β -dihydroxy-6 β -methoxy-6,7-seco-6,20-epoxy- <i>ent</i> -kaur-16-en-1,7-olide	<i>I. serra</i>	Henan Prov.	130/131
340	Isojaponin A	<i>I. japonica</i> <i>I. nervosus</i>	Qinling Mountain, Shanxi Prov. Tongbai, Henan Prov.	132/133
341	Macrocalyxin J	<i>I. macrocalyx</i>	Tianmu mountain, Zhejiang Prov.	134
342	Sinuolatin E	<i>I. sinuolata</i>	Shangri-La, Yunnan Prov.	103
343	Dayecrystal D	<i>I. macrophyllus</i>	Tongbai, Henan Prov.	135
344	Sculponin F	<i>I. sculponeata</i>	Xichang, Sichuan Prov.	101
345	Sculponeatin R	<i>I. sculponeata</i>	Lijiang, Yunnan Prov.	136
346	Rabdonervosin F	<i>I. nervosus</i>	Yifeng, Jiangxi Prov.	95
347	Isodonhenrin B	<i>I. henryi</i>	Qionglai, Sichuan Prov.	114
348	6 β -butyroxy-3 β -hydroxy-6,7-seco-6,20-epoxy-7,1 α -olide- <i>ent</i> -kaur-16-en-15-one	<i>I. japonica</i>	Qinyuan, Shanxi Prov.	137

349	Serrin D	<i>I. serra</i>	Shennongjia Mountain, Hubei Prov.	138
350	Rabdonervosin H	<i>I. nervosus</i>	Yifeng, Jiangxi Prov.	96
351	Isorothornin G	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	119
352	Isorosthin C	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
353	Isorosthin D	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
354	Isorosthin E	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
355	Phyllostacin M	<i>I. phyllostachys</i>	Muli and Yanyuan, Sichuan Prov.	143
356	20-epiphyllostacin M	<i>I. phyllostachys</i>	Muli and Yanyuan, Sichuan Prov.	143
357	11-epitaibaijaponicain A	<i>I. phyllostachys</i>	Muli and Yanyuan, Sichuan Prov.	143
358	11,17-diepitaibaijaponicain A	<i>I. phyllostachys</i>	Muli and Yanyuan, Sichuan Prov.	143
359	Phyllostacin N	<i>I. phyllostachys</i>	Muli and Yanyuan, Sichuan Prov.	143
360	20-epiphyllostacin N	<i>I. phyllostachys</i>	Muli and Yanyuan, Sichuan Prov.	143
361	17-epidihydroisodocarpin	<i>I. phyllostachys</i>	Muli and Yanyuan, Sichuan Prov.	143
362	20-episerrin C	<i>I. phyllostachys</i>	Muli and Yanyuan, Sichuan Prov.	143
363	Rabdosin F	<i>I. serra</i>	Guangxi Prov.	139
364	Rabdosin G	<i>I. serra</i>	Guangxi Prov.	139
365	Rabdosin H	<i>I. serra</i>	Guangxi Prov.	139
366	Rabdosin I	<i>I. serra</i>	Guangxi Prov.	139
367	Rabdosin J	<i>I. serra</i>	Guangxi Prov.	139
368	Sculponin P	<i>I. sculponeata</i>	Muli, Sichuan Prov.	140
369	Sculponin Q	<i>I. sculponeata</i>	Muli, Sichuan Prov.	140
370	Jianshirubesin B	<i>I. rubescens</i>	Jianshi, Hubei Prov.	141
371	Jianshirubesin C	<i>I. rubescens</i>	Jianshi, Hubei Prov.	141
372	Sculponin M	<i>I. sculponeata</i>	Muli, Sichuan Prov.	140
373	Sculponin N	<i>I. sculponeata</i>	Muli, Sichuan Prov.	140
374	Dayecrystal E	<i>I. macrophyllus</i>	Tongbai, Henan Prov.	135
375	Sculponin B	<i>I. sculponeata</i>	Xichang, Sichuan Prov.	140
376	Sculponin O	<i>I. sculponeata</i>	Muli, Sichuan Prov.	140
377	Sculponin G	<i>I. sculponeata</i>	Xichang, Sichuan Prov.	101
378	Sculponin H	<i>I. sculponeata</i>	Xichang, Sichuan Prov.	101
379	Sculponin I	<i>I. sculponeata</i>	Xichang, Sichuan Prov.	101
380	Sculponin J	<i>I. sculponeata</i>	Xichang, Sichuan Prov.	101
381	Sculponeatin S	<i>I. sculponeata</i>	Lijiang, Yunnan Prov.	136
382	Phyllostacin O	<i>I. phyllostachys</i>	Muli and Yanyuan, Sichuan Prov.	143
383	20-epiphyllostacin O	<i>I. phyllostachys</i>	Muli and Yanyuan, Sichuan Prov.	143
384	Phyllostacin L	<i>I. phyllostachys</i>	Muli and Yanyuan, Sichuan Prov.	143
385	15 β -hydroxy-6,7-seco-6,11 β :6,20-diepoxy-1 α ,7-olide- <i>ent</i> -kaur-16-ene	<i>I. nervosus</i>	Tongbai, Henan Prov.	93
386	Sculponin A	<i>I. sculponeata</i>	Xichang, Sichuan Prov.	142
387	6,20,15 α -trihydroxy-6,7-seco-1 α ,7-olide- <i>ent</i> -kaur-16-ene	<i>I. nervosus</i>	Xinyang, Henan Prov.	97
388	Maoesin A	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
389	3 α -acetoxy-maoesin A	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
390	6 α ,15 α -dihydroxy-20-aldehyde-6,7-seco-6,11 α -epoxy- <i>ent</i> -kaur-16-en-1,7-olide	<i>I. serra</i>	Henan Prov.	130/131
391	15 α ,20-dihydroxy-6,7-seco- <i>ent</i> -kaur-16-ene-7,1 α (6,11 α)-diolide	<i>I. japonica</i>	Shanxi Prov.	137
392	15 α -hydroxy-6,7-seco-1 α ,7:11 α ,6-diolide- <i>ent</i> -kaur-16-en	<i>I. coetsa</i>	ErLang Mountain, Sichuan Prov.	144
393	Isodonhenrin A	<i>I. rubescens</i> <i>I. henryi</i>	Huixian, Henan Prov. Qionglai, Sichuan Prov.	114/145
394	15 α -hydroxy-20-oxo-6,7-seco- <i>ent</i> -kaur-16-en-1,7 α (6,11 α)-diolide	<i>I. rubescens</i>	Huixian, Henan Prov.	145
395	Isorosthin B	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
396	Jianshirubesin A	<i>I. rubescens</i>	Jianshi, Hubei Prov.	141
397	Sculponin R	<i>I. sculponeata</i>	Muli, Sichuan Prov.	140
398	Sculponin S	<i>I. sculponeata</i>	Muli, Sichuan Prov.	140

399	Phyllostacin J	<i>I. phyllostachys</i>	Muli and Yanyuan, Sichuan Prov.	143
400	Phyllostacin K	<i>I. phyllostachys</i>	Muli and Yanyuan, Sichuan Prov.	143
401	Rabdosin E	<i>I. serra</i>	Guangxi Prov.	139
402	epi-maoecrystal N	<i>I. eriocalyx</i>	Lijiang, Yunnan Prov.	76
403	Eriocalyxin G	<i>I. eriocalyx</i>	Lijiang, Yunnan Prov.	76
404	Maoecrystal W	<i>I. eriocalyx</i>	Lijiang, Yunnan Prov.	76
405	6-hydroxy-1 α ,19-diacetoxy-6,7-seco-ent-kaur-16-en-15-one-7,20-olide	<i>I. japonica</i>	Hwacheon, Kangwondo, Korea	89
406	19-hydroxy-1 α ,6-diacetoxy-6,7-seco-ent-kaur-16-en-15-one-7,20-olide	<i>I. japonica</i>	Hwacheon, Kangwondo, Korea	89
407	6-aldehyde-1 α ,19-diacetoxy-6,7-seco-ent-kaur-16-en-15-one-7,20-olide	<i>I. japonica</i>	Hwacheon, Kangwondo, Korea	89
408	Isorubescinsin A	<i>I. rubescens</i>	Lushi, Henan Prov.	146
409	Isorubescinsin B	<i>I. rubescens</i>	Lushi, Henan Prov.	146
410	Isorubescinsin C	<i>I. rubescens</i>	Lushi, Henan Prov.	146
411	Isorubescinsin D	<i>I. rubescens</i>	Lushi, Henan Prov.	146
412	Parvifoline AB	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	42
413	Isojaponin B	<i>I. japonica</i>	Qinling Mountain, Shanxi Prov.	132
414	Taihangexcisoidesin B	<i>I. excisoides</i>	Taihang Mountains, Henan Prov.	46/47
415	Maoesin F	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
416	Ternifolide C	<i>I. ternifolius</i>	Jinxiu, Guangxi Prov.	147
417	Sculponein T	<i>I. sculponeata</i>	Muli, Sichuan Prov.	148
418	Hikiokoshin C	<i>I. japonica</i>	Cultivated at Hokkaido University	91
419	Rabdosin K	<i>I. serra</i>	Guangxi Prov.	139
420	Sculponeatin N	<i>I. sculponeata</i>	Lijiang, Yunnan Prov.	136
421	Sculponeatin O	<i>I. sculponeata</i>	Lijiang, Yunnan Prov.	136
422	Sculponeatin P	<i>I. sculponeata</i>	Lijiang, Yunnan Prov.	136
423	Laxiflorolide H	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
424	Laxiflorolide I	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
425	Laxiflorolide K	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
426	Laxiflorolide L	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
427	Laxiflorolide N	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
428	Laxiflorolide O	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
429	Laxiflorolide P	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
430	Laxiflorolide Q	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
431	Laxiflorolide R	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
432	Laxiflorolide T	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
433	Laxiflorolide J	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
434	Laxiflorolide E	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
435	Laxiflorolide F	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
436	Laxiflorolide G	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
437	Laxiflorolide S	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
438	Phyllostacin E	<i>I. phyllostachys</i>	Zhongdian, Yunnan Prov.	87
439	Sculponeatin Q	<i>I. sculponeata</i>	Lijiang, Yunnan Prov.,	136
440	Sculponein C	<i>I. sculponeata</i>	Xichang, Sichuan Prov.	142
441	Laxiflorolide C	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
442	Laxiflorolide D	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Xishuangbanna, Yunnan Prov.	149
443	Maoecrystal Z	<i>I. eriocalyx</i>	Weishan, Yunnan Prov.	152
444	Hikiokoshin B	<i>I. japonica</i>	cultivated at Hokkaido University	91
445	Parvifoline Y	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	156
446	Neolaxiflorin F	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	99
447	Parvifoline AA	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	42
448	Isorosthin P	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
449	Bisrubescensin A	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	161
450	Bisrubescensin B	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	161
451	Bisrubescensin C	<i>I. rubescens</i>	Hehuachi herbal market, Sichuan	161
452	Bisjaponin A	<i>I. japonica</i>	Qinling Mountain, Shanxi Prov.	164

453	Bisjaponin B	<i>I. japonica</i>	Qinling Mountain, Shanxi Prov.	164
454	Bisrubescensin D	<i>I. rubescens</i>	Jiyuan Pharmaceutical company	162
455	Bispseurata F	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	57
456	Sculpoinin D	<i>I. sculponeata</i>	Xichang, Sichuan Prov.	101
457	Sculpoinin E	<i>I. sculponeata</i>	Xichang, Sichuan Prov.	101
458	Bisleuconin A	<i>I. leucophyllus</i>	Shangri-La, Yunnan Prov.	165
459	Bisleuconin B	<i>I. leucophyllus</i>	Shangri-La, Yunnan Prov.	165
460	Bisleuconin C	<i>I. leucophyllus</i>	Shangri-La, Yunnan Prov.	165
461	Bisleuconin D	<i>I. leucophyllus</i>	Shangri-La, Yunnan Prov.	165
462	Biexcisusin A	<i>I. excisus</i>	Hwacheon, Kangwondo, Korea	166
463	Biexcisusin B	<i>I. excisus</i>	Hwacheon, Kangwondo, Korea	166
464	Biexcisusin C	<i>I. excisus</i>	Hwacheon, Kangwondo, Korea	166
465	Biexcisusin D	<i>I. excisus</i>	Hwacheon, Kangwondo, Korea	166
466	Biexcisusin E	<i>I. excisus</i>	Hwacheon, Kangwondo, Korea	166
467	Bisrubescensin E	<i>I. rubescens</i>	Jiyuan, Henan Prov.	163
468	Bistenuifolin A	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	167
469	Bistenuifolin B	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	167
470	Bistenuifolin C	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	167
471	Bistenuifolin D	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	167
472	Bistenuifolin E	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	167
473	Bistenuifolin F	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	167
474	Bistenuifolin G	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	167
475	Bistenuifolin H	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	167
476	Bistenuifolin I	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	167
477	Bistenuifolin J	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	167
478	Bistenuifolin K	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	167
479	Bistenuifolin L	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	167
480	Bistenuifolin M	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	167
481	Hispidanin A	<i>I. hispida</i>	Dali, Yunnan Prov.	168
482	Hispidanin B	<i>I. hispida</i>	Dali, Yunnan Prov.	168
483	Hispidanin C	<i>I. hispida</i>	Dali, Yunnan Prov.	168
484	Hispidanin D	<i>I. hispida</i>	Dali, Yunnan Prov.	168
485	Parvifoline X	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	156
486	Nervonin A	<i>I. nervosus</i>	Xichang, Sichuan Prov.	56
487	Luanchunin A	<i>I. rubescens</i> var. <i>lushanensis</i>	Luanchuan, Henan Prov.	128
488	Laxiflorin S	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	98
489	Acetonide of rabdoloxin A	<i>I. scoprius</i>	Shangri-La, Yunnan Prov.	64
490	Taihangexcisoidesin D	<i>I. excisoides</i>	Taihang Mountains, Henan Prov.	104/105
491	Ternifolide A	<i>I. ternifolius</i>	Jinxiu, Guangxi Prov.	147
492	Ternifolide B	<i>I. ternifolius</i>	Jinxiu, Guangxi Prov.	147
493	Hikiokoshin A	<i>I. japonica</i>	Cultivated at Hokkaido University	91
494	Laxiflorolide M	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	149
495	Neoadenoloxide A	<i>I. adenolomus</i>	Shangrila, Yunnan Pro.	170
496	Neolaxiflorin A	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	171
497	Neolaxiflorin B	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	171
498	Laxiflorolide A	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	117
499	Laxiflorolide B	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	117
500	Neolaxiflorin D	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	99
501	Neolaxiflorin E	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	99
502	Laxiflorin U	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	98
503	Isorosthin A	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	111
504	Laxiflorol A	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	118
505	Kaurine A	<i>I. rubescens</i>	Jianshi, Hubei Prov.	173
506	Kaurine B	<i>I. rubescens</i>	Jianshi, Hubei Prov.	173
507	Kaurine C	<i>I. rubescens</i>	Jianshi, Hubei Prov.	173
508	Alboatisin A	<i>I. albopilosus</i>	Maoxian, Sichuan Prov.	174
509	Alboatisin B	<i>I. albopilosus</i>	Maoxian, Sichuan Prov.	174

510	Alboatisin C	<i>I. albopilosus</i>	Maoxian, Sichuan Prov.	174
511	Eriocatisin A	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
512	Isorosthornin D	<i>I. rosthornii</i>	Qionglai, Sichuan Prov.	119
513	Isorubescins E	<i>I. rubescens</i>	Lushi, Henan Prov.	146
514	Xerophilinoid C	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	176
515	Xerophilusin XIV	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	177
516	Xerophilusin XV	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	177
517	Xerophilusin XVI	<i>I. xerophilus</i>	Yuanyang, Yunnan Prov.	177
518	Macrophynin E	<i>I. macrophyllus</i>	Zhenjiang, Jiangsu Prov.	178
519	Macrophynin F	<i>I. macrophyllus</i>	Zhenjiang, Jiangsu Prov.	178
520	Dayecrystal C	<i>I. macrophyllus</i>	Tongbai, Henan Prov.	179
521	Rubescanolid A	<i>I. rubescens</i>	Longli, Guizhou Prov.	180
522	Rubescanolid B	<i>I. rubescens</i>	Longli, Guizhou Prov.	180
523	Rubescanolid C	<i>I. rubescens</i>	Longli, Guizhou Prov.	181
524	Rubescanolid D	<i>I. rubescens</i>	Longli, Guizhou Prov.	181
525	Rubescanolid E	<i>I. rubescens</i>	Longli, Guizhou Prov.	181
526	ent-abierubescins A	<i>I. rubescens</i>	Jianshi, Hubei Prov.	71
527	ent-abierubescins B	<i>I. rubescens</i>	Jianshi, Hubei Prov.	71
528	ent-abierubescins C	<i>I. rubescens</i>	Jianshi, Hubei Prov.	71
529	ent-abierubescins D	<i>I. rubescens</i>	Jianshi, Hubei Prov.	71
530	ent-abierubescins E	<i>I. rubescens</i>	Jianshi, Hubei Prov.	71
531	Hebeiabinin A	<i>I. rubescens</i> var. <i>rubescens</i>	Hebei Prov.	182
532	Hebeiabinin B	<i>I. rubescens</i> var. <i>rubescens</i>	Hebei Prov.	182
533	Hebeiabinin C	<i>I. rubescens</i> var. <i>rubescens</i>	Hebei Prov.	182
534	Hebeiabinin D	<i>I. rubescens</i> var. <i>rubescens</i>	Hebei Prov.	182
535	Hebeiabinin E	<i>I. rubescens</i> var. <i>rubescens</i>	Hebei Prov.	182
536	Inflexanin A	<i>I. inflexus</i>	Yantai, Shandong Prov.	184
537	Inflexanin B	<i>I. inflexus</i>	Yantai, Shandong Prov.	184
538	Inflexanin C	<i>I. inflexus</i>	Yantai, Shandong Prov.	184
539	Inflexanin D	<i>I. inflexus</i>	Yantai, Shandong Prov.	184
540	3 α ,6 β -dihydroxy-7,17-dioxo-ent-abieta-15(16)-ene	<i>I. inflexus</i>	Cultivated, Chungbuk University	National 185
541	Laxiflorin P	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	117
542	Laxiflorin Q	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	117
543	Laxiflorin V	<i>I. eriocalyx</i> var. <i>laxiflora</i>	Yunnan Prov.	98
544	Eriocasin B	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
545	Eriocasin C	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
546	Eriocasin D	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
547	3-acetyleriocasin C	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
548	3 β -acetoxyeriocasin D	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
549	Eriocasin E	<i>I. eriocalyx</i>	Luding, Sichuan Prov.	66
550	Gerardianin A	<i>I. lophanthoides</i> var. <i>gerardianus</i>	Guangzhou, Guangdong Prov.	187
551	rabdosin D	<i>I. lophanthoides</i> var. <i>gerardianus</i>	Guangzhou, Guangdong Prov.	188
552	(+)-15-hydroxysalvinolone	<i>I. lophanthoides</i> var. <i>gerardianus</i>	Guangzhou, Guangdong Prov.	188
553	rabdosiacoside A	<i>I. lophanthoides</i> var. <i>gerardianus</i>	Guangzhou, Guangdong Prov.	188
554	Isolophanthin A	<i>I. lophanthoides</i> var. <i>gerardianus</i>	Zhejiang Prov.	189
555	Isolophanthin B	<i>I. lophanthoides</i> var. <i>gerardianus</i>	Zhejiang Prov.	189
556	Isolophanthin D	<i>I. lophanthoides</i> var. <i>gerardianus</i>	Zhejiang Prov.	189
557	Gerardianin B	<i>I. lophanthoides</i> var. <i>gerardianus</i>	Qingyuan, Guangdong Prov.	190
558	Gerardianin C	<i>I. lophanthoides</i> var. <i>gerardianus</i>	Qingyuan, Guangdong Prov.	190
559	11,12-dihydroxyabieta-7-oxo-8,11,13-trien-15-ol	<i>I. lophanthoides</i> var. <i>gerardianus</i>	Wanshoulu Chinese medicine market	191
560	16-acetoxyisugiol	<i>I. lophanthoides</i> var. <i>graciliflorus</i>	Qingyuan, Guangdong Prov.	192
561	Graciliflorin E	<i>I. lophanthoides</i> var. <i>graciliflorus</i>	Qingyuan, Guangdong Prov.	192
562	Graciliflorin F	<i>I. lophanthoides</i> var. <i>graciliflorus</i>	Qingyuan, Guangdong Prov.	192
563	15-O-methylgraciliflorin F	<i>I. lophanthoides</i> var. <i>graciliflorus</i>	Qingyuan, Guangdong Prov.	192
564	15-hydroxy-20-deoxocarnosol	<i>I. lophanthoides</i> var. <i>graciliflorus</i>	Qingyuan, Guangdong Prov.	192

565	15-hydroxy-1-oxosalvibretol	<i>I. lophanthoides</i> var. <i>graciliflorus</i>	Qingyuan, Guangdong Prov.	192
566	Graciliflorin D	<i>I. lophanthoides</i> var. <i>graciliflorus</i>	Qingyuan, Guangdong Prov.	193
567	Sincoetsin A	<i>I. coetsa</i>	Singapore	194
568	Sincoetsin B	<i>I. coetsa</i>	Singapore	194
569	Parvifoline L	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	195
570	Parvifoline M	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	195
571	Parvifoline N	<i>I. parvifolia</i>	Maoxian, Sichuan Prov.	195
572	<i>ent</i> -abienergonin A	<i>I. nervosus</i>	Xichang, Sichuan Prov.	196
573	<i>ent</i> -abienergonin B	<i>I. nervosus</i>	Xichang, Sichuan Prov.	196
574	<i>ent</i> -abienergonin C	<i>I. nervosus</i>	Xichang, Sichuan Prov.	196
575	Isoadenolin M	<i>I. adenolomus</i>	Shangri-La, Yunnan Prov.	69
576	Isoabietenin A	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
577	Isoabietenin B	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
578	Isoabietenin C	<i>I. tenuifolius</i>	Shangri-La, Yunnan Prov.	75
579	Pharicinin A	<i>I. pharicus</i>	Lhasa, Tibet Autonomous region	57
580	Graciliflorin C	<i>I. lophanthoides</i> var. <i>graciliflorus</i>	Qingyuan, Guangdong Prov.	193
581	<i>ent</i> -isopimanervoside A	<i>I. lophanthoides</i> var. <i>gerardianus</i>	Xichang, Sichuan Prov.	196
582	<i>ent</i> -isopimanervoside B	<i>I. lophanthoides</i> var. <i>gerardianus</i>	Xichang, Sichuan Prov.	196
583	Isolophanthin C	<i>I. lophanthoides</i> var. <i>gerardianus</i>	Zhejiang Prov.	189
584	Graciliflorin A	<i>I. lophanthoides</i> var. <i>graciliflorus</i>	Qingyuan, Guangdong Prov.	193
585	Graciliflorin B	<i>I. lophanthoides</i> var. <i>graciliflorus</i>	Qingyuan, Guangdong Prov.	193
586	3 β -hydroxysempervirool	<i>I. lophanthoides</i> var. <i>graciliflorus</i>	Qingyuan, Guangdong Prov.	192
587	Hispidanol A	<i>I. hispida</i>	Dali, Yunnan Prov.	198
588	Hispidanol B	<i>I. hispida</i>	Dali, Yunnan Prov.	198
589	totara-8,11,13-triene-13 \rightarrow 16-hemiacetal	<i>I. hispida</i>	Dali, Yunnan Prov.	198
590	S-trans-8(17),12E,14-labdatrien-20-oic acid	<i>I. yuennanensis</i>	Dali, Yunnan Prov.	199
591	S-trans-12E,14-labdadien-20,8 β -olide	<i>I. yuennanensis</i>	Dali, Yunnan Prov.	199
592	14 β -Hydroxy-8(17),12-labdadien-(15 \rightarrow 16)-lactone-19-oic acid	<i>I. adenantha</i>	Dali, Yunnan Prov.	74
593	13E,14 β -Dihydroxy-8(17)-labdaen-(15 \rightarrow 16)-lactone-19-oic acid	<i>I. adenantha</i>	Dali, Yunnan Prov.	74
594	Adenanthic acid A	<i>I. adenantha</i>	Dali, Yunnan Prov.	200
595	Adenanthic acid B	<i>I. adenantha</i>	Dali, Yunnan Prov.	200
596	Adenanthoside A	<i>I. adenantha</i>	Dali, Yunnan Prov.	200
597	Adenanthoside B	<i>I. adenantha</i>	Dali, Yunnan Prov.	200
598	Adenanthoside C	<i>I. adenantha</i>	Dali, Yunnan Prov.	200
599	Isoscoparin O	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	201
600	Isoscoparin P	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	202
601	Isoscoparin Q	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	203
602	Scopariusin A	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	201
603	Scopariusin B	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	201
604	Scopariusin C	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	201
605	Isoscoparin M	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	201
606	Isoscoparin N	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	201
607	Scopariusic acid	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	202
608	Scopariusicide A	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	203
609	Scopariusicide B	<i>I. scoparius</i>	Shangri-La, Yunnan Prov.	203

Table S2: Cytotoxic activity of *ent*-kauranoids from *Isodon* species.

Compounds	Tumor cell line	Activity	Ref.
Albopilosin H (8)	HepG2	13.31 μ M	40
Phyllostachysin D (11)	K562	2.92 μ g/mL	41
Phyllostachysin E (12)	K562	> 200 μ g/mL	41
Phyllostachysin F (13)	K562	1.15 μ g/mL	41
Phyllostachysin G (14)	K562	4.58 μ g/mL	41
Phyllostachysin H (15)	K562	6.71 μ g/mL	41
Parvifoline Z (16)	A549	1.89 \pm 0.23 μ M	42
	HT-29	2.45 \pm 0.11 μ M	
	K562	1.24 \pm 0.12 μ M	
Racemosin A (17)	Bel-7402	1.56 \pm 1.17 μ g/mL	44
	HO-8910	3.72 \pm 2.55 μ g/mL	
Glaucoalyxin F (24)	A549	3.31 μ g/mL	48/49
	LOVO	1.73 μ g/mL	
	HL-60	3.16 μ g/mL	
	6T-CEM	1.57 μ g/mL	
Glaucoalyxin X (25)	A549	> 100 μ g/mL	48/49
	LOVO	> 100 μ g/mL	
	HL-60	> 100 μ g/mL	
	6T-CEM	> 100 μ g/mL	
Nervonin B (28)	K562	1.18 μ M	56
	A549	1.53 μ M	
	HepG2	1.16 μ M	
Pharicinin B (37)	NB4	3.0 μ M	57
	A549	> 10 μ M	
	SH-SY5Y	8.1 μ M	
	PC-3	>10 μ M	
	MCF-7	4.4 μ M	
Pharicinin C (38)	NB4	2.3 μ M	57
	A549	> 10 μ M	
	SH-SY5Y	5.3 μ M	
	PC-3	> 10 μ M	
	MCF-7	> 10 μ M	
12- <i>O</i> -acetylpsaurata B (45)	NB4	8.32 μ M	60
	A549	> 10 μ M	
	SH-SY5Y	8.12 μ M	
	PC-3	> 10 μ M	
	MCF-7	> 10 μ M	
17-Methoxydihydropseurata C (52)	NB4	8.74 μ M	60
	A549	> 10 μ M	
	SH-SY5Y	> 10 μ M	
	PC-3	7.42 μ M	
	MCF-7	> 10 μ M	
Pseurata B acetonide (53)	NB4	3.56 μ M	60
	A549	6.02 μ M	
	SH-SY5Y	> 10 μ M	
	PC-3	> 10 μ M	
	MCF-7	> 10 μ M	
Isoscoparin F (59)	NB4	2.2 μ M	64
	A549	9.9 μ M	
	SH-SY5Y	9.2 μ M	
	PC-3	> 10 μ M	
	MCF-7	3.9 μ M	
Isoscoparin I (62)	NB4	4.4 μ M	64
	A549	> 10 μ M	
	SH-SY5Y	> 10 μ M	

	PC-3	> 10 μM	
	MCF-7	> 10 μM	
Isoscoparin L (65)	NB4	0.7 μM	64
	A549	6.4 μM	
	SH-SY5Y	6.8 μM	
	PC-3	> 10 μM	
	MCF-7	2.2 μM	
Minheryin C (68)	K562	80.15 \pm 2.33 $\mu\text{g/mL}$	55
Minheryin G (72)	K562	0.43 \pm 0.00 $\mu\text{g/mL}$	55
	HepG2	0.32 $\mu\text{g/mL}$	
Maoesin E (76)	HT-29	> 10 μM	66
	Bel-7402	> 10 μM	
	SK-OV-3	> 10 μM	
Pharicin D (77)	NB4	> 50 μM	58
	A549	> 50 μM	
	SH-SY5Y	> 50 μM	
	PC-3	> 50 μM	
	MCF-7	> 50 μM	
Pharicin E (78)	NB4	> 50 μM	58
	A549	> 50 μM	
	SH-SY5Y	> 50 μM	
	PC-3	26.87 μM	
	MCF-7	> 50 μM	
Pharicin D acetal (79)	NB4	10.82 μM	58
	A549	> 50 μM	
	SH-SY5Y	> 50 μM	
	PC-3	24.90 μM	
	MCF-7	47.99 μM	
Isoleuconin A (80)	SK-OV-3	> 100 μM	68
	Bel-7402	> 100 μM	
	HT-29	> 100 μM	
Isoleuconin B (81)	SK-OV-3	> 100 μM	68
	Bel-7402	> 100 μM	
	HT-29	> 100 μM	
Isoleuconin C (82)	SK-OV-3	38.0 μM	68
	Bel-7402	40.8 μM	
	HT-29	82.8 μM	
Isoadenolin N (83)	HL-60	16.2 μM	69
	SMMC-7721	19.1 μM	
	A-549	> 40 μM	
	MCF-7	15.2 μM	
	SW480	14.8 μM	
Isoadenolin O (84)	HL-60	6.8 μM	69
	SMMC-7721	5.5 μM	
	A-549	> 40 μM	
	MCF-7	12.2 μM	
	SW480	12.8 μM	
7 α ,12 α ,14 β -Trihydroxy-3 β -acetoxy- <i>ent</i> -kaur-16-en-15-oxo-19-al (89)	NB4	15.42 μM	61
	A549	18.37 μM	
	SH-SY5Y	18.33 μM	
	PC-3	> 50 μM	
	MCF-7	42.51 μM	
Pharicin F acetonide (93)	NB4	8.67 μM	61
	A549	12.04 μM	
	SH-SY5Y	> 50 μM	
	PC-3	32.01 μM	
	MCF-7	43.60 μM	

Glaucocalyxin H (96)	CE-1	3.17 ± 0.16 μM	50/51		
	U87	3.65 ± 0.21 μM			
	A-549	238.76 ± 10.66 μM			
	MCF-7	10.95 ± 1.04 μM			
	Hela	3.64 ± 0.31 μM			
	K562	1.86 ± 0.04 μM			
	HepG2	1.97 ± 0.05 μM			
	HL-60	> 10 μM		73	
Wikstroemioidin E (104)	SMMC-7721	> 10 μM			
	A-549	> 10 μM			
	MCF-7	> 10 μM			
	SW-480	6.9 μM			
	Wikstroemioidin F (105)	HL-60	> 10 μM		73
		SMMC-7721	> 10 μM		
		A-549	> 10 μM		
		MCF-7	> 10 μM		
SW-480		8.6 μM			
Wikstroemioidin G (106)		HL-60	2.9 μM	73	
		SMMC-7721	3.5 μM		
		A-549	2.7 μM		
	MCF-7	1.6 μM			
	SW-480	0.9 μM			
	Wikstroemioidin H (107)	HL-60	3.6 μM		73
		SMMC-7721	4.0 μM		
		A-549	4.4 μM		
MCF-7		4.9 μM			
SW-480		1.4 μM			
Wikstroemioidin M (112)		HL-60	4.1 μM	73	
		SMMC-7721	4.1 μM		
		A-549	3.7 μM		
	MCF-7	4.8 μM			
	SW-480	2.7 μM			
	Wikstroemioidin O (114)	HL-60	4.8 μM		73
		SMMC-7721	5.1 μM		
		A-549	5.1 μM		
MCF-7		3.7 μM			
SW-480		2.3 μM			
Wikstroemioidin P (115)		HL-60	3.1 μM	73	
		SMMC-7721	0.8 μM		
		A-549	1.0 μM		
	MCF-7	1.6 μM			
	SW-480	1.0 μM			
	Wikstroemioidin Q (116)	HL-60	3.2 μM		73
		SMMC-7721	1.4 μM		
		A-549	0.9 μM		
MCF-7		1.7 μM			
SW-480		1.0 μM			
Tenuifolin A (122)		HL-60	4.7 μM	75	
		SMMC-7721	7.4 μM		
		A-549	> 10 μM		
	MCF-7	> 10 μM			
	SW-480	> 10 μM			
	Tenuifolin I (130)	HL-60	0.8 μM		75
		SMMC-7721	1.9 μM		
		A-549	4.5 μM		
MCF-7		3.0 μM			
SW-480		4.3 μM			

Tenuifolin J (131)	HL-60	3.8 μM	75
	SMMC-7721	6.3 μM	
	A-549	> 10 μM	
	MCF-7	> 10 μM	
	SW-480	> 10 μM	
Tenuifolin M (134)	HL-60	4.4 μM	75
	SMMC-7721	> 10 μM	
	A-549	> 10 μM	
	MCF-7	> 10 μM	
	SW-480	> 10 μM	
Maoesin D (140)	HT-29	7.3 μM	66
	Bel-7402	> 10 μM	
	SK-OV-3	> 10 μM	
Parvifoline C (143)	K562	13.8 μM	80
Parvifoline Q (154)	A549	8.65 μM	81
	HT-29	14.02 μM	
	K562	5.57 μM	
Parvifoline U (158)	A549	7.45 μM	81
	HT-29	10.54 μM	
	K562	2.64 μM	
Parvifoline V (159)	A549	6.53 μM	81
	HT-29	10.91 μM	
	K562	5.26 μM	
Hebeirubescensin A (161)	A549	4.80 μM	82
	HT-29	16.57 μM	
	K562	5.93 μM	
Hebeirubescensin B (162)	A549	0.68 μM	82
	HT-29	1.19 μM	
	K562	1.21 μM	
Hebeirubescensin C (163)	A549	1.17 μM	82
	HT-29	1.93 μM	
	K562	1.88 μM	
Hebeirubescensin D (164)	A549	5.32 μM	82
	HT-29	6.04 μM	
	K562	7.31 μM	
Hebeirubescensin E (165)	A549	1.67 μM	82
	HT-29	2.84 μM	
	K562	6.17 μM	
Hebeirubescensin F (166)	A549	> 100 μM	82
	HT-29	> 100 μM	
	K562	> 100 μM	
Hebeirubescensins G (167) and H (168)	A549	8.99 μM	82
	HT-29	18.42 μM	
	K562	8.32 μM	
Hebeirubescensin I (169)	A549	> 100 μM	82
	HT-29	> 100 μM	
	K562	> 100 μM	
Hebeirubescensin J (170)	A549	> 100 μM	82
	HT-29	> 100 μM	
	K562	> 100 μM	
Hebeirubescensin K (171)	A549	> 100 μM	82
	HT-29	> 100 μM	
	K562	> 100 μM	
Hebeirubescensin L (172)	A549	> 100 μM	82
	HT-29	> 100 μM	
	K562	> 100 μM	
Jiyuanoridonin A (175)	EC109	4.52 $\mu\text{g/ml}$	84

Xerophilusin III (176)	K562	0.04 μ M	85
	MKN45	2.8 μ M	
	HepG2	0.19 μ M	
Xerophilusin IV (177)	K562	1.0 μ M	85
	MKN45	> 10 μ M	
	HepG2	4.5 μ M	
Xerophilusin XI (184)	K562	1.5 μ M	85
	MKN45	3.9 μ M	
	HepG2	1.9 μ M	
Xerophilusin XIII (186)	K562	3.6 μ M	85
	MKN45	2.1 μ M	
	HepG2	4.9 μ M	
Xerophinoid B (187)	K562	0.32 \pm 0.13 μ M	86
	NB4	3.73 \pm 0.67 μ M	
	NB4-R2	3.06 \pm 0.90 μ M	
	T24	45.98 \pm 2.31 μ M	
	Me180	3.46 \pm 0.46 μ M	
	BIU87	32.22 \pm 3.16 μ M	
	QGY-7202	27.06 \pm 2.59 μ M	
	32D	3.99 \pm 0.91 μ M	
	C8166	> 25 μ M	
Phyllostacin C (188)	K562	> 100 μ M	87
	HL-60	> 100 μ M	
	HepG2	> 100 μ M	
Phyllostacin D (189)	K562	> 100 μ M	87
	HL-60	> 100 μ M	
	HepG2	> 100 μ M	
6 β ,7 β ,13 α -trihydroxy-1 α -acetoxy-7 α ,20-epoxy- <i>ent</i> -kaur-16-en-15-one (202)	HL-60	24.93 \pm 4.13 μ M	93/94
	SMMC-7721	45.18 \pm 3.04 μ M	
	Hela	89.12 \pm 3.97 μ M	
Neolaxiflorin K (208)	HL-60	10.61 μ M	100
	SMMC-7721	3.19 μ M	
	A-549	12.93 μ M	
	MCF-7	12.67 μ M	
	SW480	2.08 μ M	
Neolaxiflorin L (209)	HL-60	1.82 μ M	100
	SMMC-7721	2.36 μ M	
	A-549	2.21 μ M	
	MCF-7	2.93 μ M	
	SW480	1.95 μ M	
Neolaxiflorin M (210)	HL-60	3.77 μ M	100
	SMMC-7721	2.44 μ M	
	A-549	3.08 μ M	
	MCF-7	2.64 μ M	
	SW480	1.50 μ M	
Neolaxiflorin P (213)	HL-60	0.95 μ M	100
	SMMC-7721	0.69 μ M	
	A-549	1.12 μ M	
	MCF-7	0.83 μ M	
	SW480	0.45 μ M	
Neolaxiflorin Q (214)	HL-60	4.40 μ M	100
	SMMC-7721	2.99 μ M	
	A-549	3.62 μ M	
	MCF-7	5.25 μ M	
	SW480	1.97 μ M	
Neolaxiflorin W (220)	HL-60	20.08 μ M	100
	SMMC-7721	23.95 μ M	

	A-549	22.42 μ M	
	MCF-7	15.27 μ M	
	SW480	8.68 μ M	
7 β ,12 α -dihydroxy-6 β ,15 β -diacetoxy-7 α ,20-epoxy- <i>ent</i> -kaur-2,16-dien-1-one (225)	HL-60	24.93 \pm 4.13 μ g/ml	97
	SMMC-7721	45.18 \pm 3.04 μ g/ml	
	Hela	89.12 \pm 3.97 μ g/ml	
Sculponin Y (227)	HL-60	19.2 μ M	102
	SMMC-7721	22.3 μ M	
	A-549	> 40 μ M	
	MCF-7	16.7 μ M	
	SW480	19.0 μ M	
Sinuolatin A (235)	NB4	1.7 μ M	103
	A549	> 10 μ M	
	SHSY5Y	2.7 μ M	
	PC-3	> 10 μ M	
	MCF-7	4.3 μ M	
Sinuolatin B (229)	NB4	3.6 μ M	103
	A549	> 10 μ M	
	SHSY5Y	8.1 μ M	
	PC-3	> 10 μ M	
	MCF-7	> 10 μ M	
Rubluanin D (237)	U937	13.57 μ M	107
	Jurkat	13.65 μ M	
	HL-60	26.69 μ M	
	K562	20.41 μ M	
	SGC790	> 40 μ M	
	HepG2	> 40 μ M	
Isolushinin D (243)	HL-60	1.1 μ M	108
	SMMC-7721	4.7 μ M	
	A-549	6.4 μ M	
	SK-BR-3	6.4 μ M	
	PANC-1	7.0 μ M	
1 α -acetoxy-14 β -hydroxy-7 α ,20-epoxy- <i>ent</i> -kaur-16-en-15-one (246)	HCT-116	2.13 \pm 0.81 μ M	106
	HepG2	2.20 \pm 1.12 μ M	
	BGC-823	> 10 μ M	
	NCI-H1650	5.68 \pm 0.73 μ M	
	A2780	1.09 \pm 0.13 μ M	110
Isoadenolin I (253)	HL-60	2.6 μ M	
	SMMC-7721	3.0 μ M	
	A-549	5.0 μ M	
	MCF-7	2.6 μ M	
	SW480	3.1 μ M	
Isoadenolin K (255)	HL-60	3.5 μ M	110
	SMMC-7721	5.7 μ M	
	A-549	14.1 μ M	
	MCF-7	3.0 μ M	
	SW480	3.1 μ M	
Isorosthin L (257)	HL-60	8.8 μ M	111
	SMMC-7721	3.5 μ M	
	A-549	4.6 μ M	
	MCF-7	3.3 μ M	
	SW480	3.4 μ M	
Isorosthin F (258)	HL-60	4.6 μ M	111
	SMMC-7721	> 10 μ M	
	A-549	> 10 μ M	
	MCF-7	> 10 μ M	
	SW480	3.2 μ M	

Isorosthin M (262)	HL-60	5.9 μM	111
	SMMC-7721	> 10 μM	
	A-549	> 10 μM	
	MCF-7	8.4 μM	
	SW480	7.8 μM	
Isorosthin O (264)	HL-60	1.2 μM	111
	SMMC-7721	3.2 μM	
	A-549	3.9 μM	
	MCF-7	2.6 μM	
	SW480	2.8 μM	
6 β ,14 α -dihydroxy-1 α ,7 β -diacetoxy-7 α ,20-epoxy- <i>ent</i> -kaur-16-en-15-one (265)	HepG2	4.48 \pm 0.24 μM	112
	MCF-7	3.56 \pm 0.16 μM	
	HL-60	1.42 \pm 0.14 μM	
Isowikstroemin A (268)	HL-60	2.51 \pm 0.16 μM	115
	SMMC-7721	1.02 \pm 0.02 μM	
	A-549	0.88 \pm 0.04 μM	
	MCF-7	2.1 \pm 0.10 μM	
	SW480	1.22 \pm 0.08 μM	
Isowikstroemin B (269)	HL-60	2.48 \pm 0.11 μM	115
	SMMC-7721	3.78 \pm 0.02 μM	
	A-549	3.34 \pm 0.04 μM	
	MCF-7	2.28 \pm 0.07 μM	
	SW480	2.40 \pm 0.15 μM	
Isowikstroemin C (270)	HL-60	3.79 \pm 0.06 μM	115
	SMMC-7721	4.72 \pm 0.09 μM	
	A-549	7.00 \pm 0.20 μM	
	MCF-7	5.35 \pm 0.28 μM	
	SW480	4.23 \pm 0.11 μM	
Isowikstroemin D (271)	HL-60	2.97 \pm 0.14 μM	115
	SMMC-7721	3.65 \pm 0.07 μM	
	A-549	3.84 \pm 0.13 μM	
	MCF-7	3.37 \pm 0.06 μM	
	SW480	2.51 \pm 0.13 μM	
Isowikstroemin E (272)	HL-60	> 40 μM	115
	SMMC-7721	> 40 μM	
	A-549	> 40 μM	
	MCF-7	> 40 μM	
	SW480	> 40 μM	
Isowikstroemin F (273)	HL-60	> 10 \pm 1.22 μM	115
	SMMC-7721	> 10 \pm 0.16 μM	
	A-549	> 10 \pm 1.02 μM	
	MCF-7	> 40 μM	
	SW480	> 10 \pm 0.48 μM	
Isowikstroemin G (274)	HL-60	> 10 \pm 0.54 μM	115
	SMMC-7721	> 10 \pm 0.32 μM	
	A-549	> 10 \pm 0.75 μM	
	MCF-7	4.79 \pm 0.21 μM	
	SW480	4.23 \pm 0.01 μM	
Serrin E (276)	HL-60	3.6 μM	116
	SMMC-7721	> 10 μM	
	A-549	> 10 μM	
	MCF-7	4.1 μM	
	SW480	4.1 μM	
Serrin F (278)	HL-60	0.7 μM	116
	SMMC-7721	2.3 μM	
	A-549	3.7 μM	
	MCF-7	2.2 μM	

11-epi-rabdocoestin A (280)	SW480	3.4 μ M	116
	HL-60	5.3 μ M	
	SMMC-7721	9.5 μ M	
	A-549	> 10 μ M	
	MCF-7	5.3 μ M	
Laxiflorin R (287)	SW480	6.6 μ M	117
	HL-60	9.9 \pm 1.6 μ M	
	SMMC-7721	21.5 \pm 0.4 μ M	
	MCF-7	12.9 \pm 0.2 μ M	
	A-549	24.9 \pm 2.4 μ M	
Rabdonervosin I (6-hydroxy-3 α ,20-epoxy-5(6)-ene-ent-kaur-1,7,15-trione 285)	SW480	15.4 \pm 0.7 μ M	67
	HepG2	8.64 μ M	
	CNE2	9.77 μ M	
	PC-9/ZD	> 20 μ M	
	HeLa	> 20 μ M	
Isowikstroemin H (296)	HCT116	> 20 μ M	121
	HL-60	1.48 \pm 0.32 μ M	
	SMMC-7721	2.93 \pm 0.05 μ M	
	A-549	2.16 \pm 0.16 μ M	
	MCF-7	2.22 \pm 0.13 μ M	
Isowikstroemin J (298)	SW480	1.14 \pm 0.08 μ M	121
	HL-60	0.84 \pm 0.02 μ M	
	SMMC-7721	2.21 \pm 0.01 μ M	
	A-549	1.27 \pm 0.03 μ M	
	MCF-7	1.25 \pm 0.03 μ M	
Isowikstroemin K (299)	SW480	1.21 \pm 0.08 μ M	121
	HL-60	12.93 \pm 0.84 μ M	
	SMMC-7721	9.88 \pm 0.56 μ M	
	A-549	10.94 \pm 0.12 μ M	
	MCF-7	8.78 \pm 0.58 μ M	
Isowikstroemin L (300)	SW480	2.87 \pm 0.09 μ M	121
	HL-60	12.69 \pm 0.72 μ M	
	SMMC-7721	15.81 \pm 0.15 μ M	
	A-549	28.13 \pm 3.26 μ M	
	MCF-7	13.50 \pm 0.54 μ M	
Isolushinin H (320)	SW480	4.23 \pm 0.04 μ M	108
	HL-60	2.5 μ M	
	SMMC-7721	> 10 μ M	
	A-549	> 10 μ M	
	SK-BR-3	6.1 μ M	
Wikstroemioidin V (325)	PANC-1	6.6 μ M	73
	HL-60	> 10 μ M	
	SMMC-7721	7.1 μ M	
	A-549	> 10 μ M	
	MCF-7	7.3 μ M	
Xerophilinoid A (326)	SW480	4.0 μ M	86
	K562	4.48 \pm 1.40 μ M	
	NB4	10.09 \pm 2.06 μ M	
	NB4-R2	3.98 \pm 0.87 μ M	
	T24	24.59 \pm 3.67 μ M	
	Me180	5.29 \pm 1.34 μ M	
	BIU87	40.27 \pm 1.94 μ M	
	QGY-7202	19.52 \pm 1.81 μ M	
	32D	4.90 \pm 1.31 μ M	
	C8166	> 25 μ M	
Xerophilusin I (327)	SW480	0.04 μ M	85
	K562	0.04 μ M	
	MKN45	2.8 μ M	

Xerophilusin II (328)	HepG2	0.19 μ M	85
	K562	1.0 μ M	
	MKN45	> 10 μ M	
1 α ,7 α ,14 β -trihydroxy-20-acetoxy- <i>ent</i> -kaur-15-one (330)	HepG2	4.5 μ M	106
	HCT-116	2.94 \pm 0.06 μ M	
	HepG2	3.07 \pm 0.02 μ M	
	BGC-823	5.59 \pm 0.19 μ M	
	NCI-H1650	> 10 μ M	
1 α ,7 α ,14 β ,18-tetrahydroxy-20-acetoxy- <i>ent</i> -kaur-15-one (331)	A2780	6.33 \pm 0.34 μ M	106
	HCT-116	2.45 \pm 0.12 μ M	
	HepG2	3.21 \pm 0.09 μ M	
	BGC-823	4.17 \pm 0.25 μ M	
	NCI-H1650	> 10 μ M	
Luanchunin B (335)	A2780	5.61 \pm 0.19 μ M	128
	HL-60	3.52 μ M	
	SMMC-7721	> 40 μ M	
	A-549	> 40 μ M	
	PANC-1	29.83 μ M	
	SK-BR-3	16.58 μ M	
Sinuolatin E (342)	NB4	> 10 μ M	103
	A549	> 10 μ M	
	SHSY5Y	6.5 μ M	
	PC-3	> 10 μ M	
	MCF-7	> 10 μ M	
	K562	2.63 \pm 0.21 μ M	
HepG2	20.46 \pm 0.65 μ M		
Serrin D (349)	HL60	48.04 \pm 4.77 μ M	138
	SMMC-7721	97.36 \pm 4.67 μ M	
	Hela	128.35 \pm 2.20 μ M	
Rabdonervosin H (350)	HepG2	2.36 μ M	96
	CNE2	> 20 μ M	
	PC-9/ZD	6.07 μ M	
	HeLa	> 20 μ M	
	HCT116	> 20 μ M	
	HL-60	3.5 μ M	
SMMC-7721	4.7 μ M		
A-549	1.2 μ M		
Rabdosin F (363)	MCF-7	3.9 μ M	139
	SW-480	3.9 μ M	
	A549	9.6 \pm 0.2 μ M	
	NCI-H661	Not active	
Sculponeatin S (381)	K562	> 100 μ M	136
	HepG2	> 100 μ M	
Phyllostacin L (384)	HL-60	15.4 μ M	143
	SMMC-7721	15.8 μ M	
	A-549	14.0 μ M	
	MCF-7	14.0 μ M	
	SW-480	15.2 μ M	
	K562	1.4 μ M	
A549	2.3 μ M		
HepG2	2.0 μ M		
15 α -hydroxy-6,7-seco-1 α ,7:11 α ,6-diolide- <i>ent</i> -kaur-16-en (392)	HT-29	> 100 μ M	144
	BEL-7402	33.59 μ M	
	SK-OV-3	74.05 μ M	
	EC-1	678.19 \pm 39.25 μ M	
Isodonhenrin A (393)	MCF-7	563.90 \pm 47.38 μ M	144/145
	Hela	365.17 \pm 13.48 μ M	

	K562	238.16 ± 15.07 μM	
	A549	784.39 ± 25.97 μM	
	U87	487.25 ± 9.01 μM	
15α-hydroxy-20-oxo-6,7-seco- <i>ent</i> -kaur-16-en-1,7α(6,11α)-diolide (394)	EC-1	37.69 ± 3.62 μM	145
	MCF-7	79.62 ± 6.33 μM	
	Hela	80.07 ± 6.32 μM	
	K562	197.35 ± 2.10 μM	
	A549	462.13 ± 39.06 μM	
	U87	180.09 ± 11.44 μM	
Isorubetin A (408)	NB4	> 50 μM	146
	A549	> 50 μM	
	SHSY5Y	48.70 μM	
	PC3	> 50 μM	
	MCF7	> 50 μM	
Isorubetin B (409)	NB4	> 50 μM	146
	A549	> 50 μM	
	SHSY5Y	11.55 μM	
	PC3	> 50 μM	
	MCF7	> 50 μM	
Isorubetin C (410)	NB4	27.32 μM	146
	A549	> 50 μM	
	SHSY5Y	19.11 μM	
	PC3	82.10 μM	
	MCF7	> 50 μM	
Isorubetin D (411)	NB4	> 50 μM	146
	A549	> 50 μM	
	SHSY5Y	9.21 μM	
	PC3	> 50 μM	
	MCF7	> 50 μM	
Parvifoline AB (412)	A549	> 100 μM	42
	HT-29	> 100 μM	
	K562	> 100 μM	
Ternifolide C (416)	HL-60	3.38 μM	147
	SMMC-7721	4.27 μM	
	A-549	3.16 μM	
	MCF-7	3.46 μM	
	SW-480	3.60 μM	
Sculponin T (417)	HL-60	17.1 μM	148
	SMMC-7721	22.2 μM	
	A-549	> 40 μM	
	MCF-7	27.7 μM	
	SW-480	13.4 μM	
Sculponeatin N (420)	K562	0.21 ± 0.03 μM	136
	HepG2	0.29 ± 0.03 μM	
Sculponeatin O (421)	K562	0.34 ± 0.04 μM	136
	HepG2	0.39 ± 0.05 μM	
Sculponeatin P (422)	K562	> 100 μM	136
	HepG2	> 100 μM	
Phyllostacin E (438)	K562	28.53 μM	87
	HL60	18.56 μM	
	HepG2	15.58 μM	
Sculponeatin Q (439)	K562	> 100 μM	136
	HepG2	> 100 μM	
Laxiflorolide C (441)	HL-60	4.8 ± 0.1 μM	149
	SMMC-7721	14.9 ± 0.3 μM	
	A-549	18.8 ± 1.0 μM	
	MCF-7	15.1 ± 0.5 μM	

Maoecrystal Z (443)	SW-480	7.9 ± 2.4 μM	
	K562	2.90 ± 0.28 μg/mL	152
	MCF7	1.63 ± 0.34 μg/mL	
	A2780	1.45 ± 0.03 μg/mL	
Parvifoline Y (445)	A549	4.97 μM	156
	HT-29	12.44 μM	
	K562	5.81 μM	
Parvifoline AA (447)	A549	4.12 ± 0.25 μM	42
	HT-29	12.78 ± 0.89 μM	
	K562	5.26 ± 0.31 μM	
Bisrubescensin A (449)	A549	0.54 μM	161
	HT-29	1.48 μM	
	K562	1.85 μM	
Sculponin D (456)	K562	1.50 μM	101
	A549	1.00 μM	
	HepG2	1.12 μM	
Sculponin E (457)	K562	2.00 μM	101
	A549	1.85 μM	
	HepG2	1.62 μM	
Bistenuifolin B (469)	HL-60	4.6 μM	167
	SMMC-7721	9.9 μM	
	A-549	> 10 μM	
	MCF-7	4.2 μM	
	SW-480	4.0 μM	
Hispidanin B (482)	SGC7901	10.7 μM	168
	SMMC-7721	9.8 μM	
	K562	13.7 μM	
Luanchunin A (487)	HL-60	4.81 μM	128
Alboatisin A (508)	A549	10.5 μM	174
	HT-29	8.3 μM	
	K562	12.5 μM	
Alboatisin B (509)	A549	15.6 μM	174
	HT-29	7.9 μM	
	K562	20.6 μM	
Alboatisin C (510)	A549	24.6 μM	174
	HT-29	13.6 μM	
	K562	28.0 μM	
Isorubescins E (513)	NB4	> 50 μM	146
	A549	> 50 μM	
	SHSY5Y	22.64 μM	
	PC3	> 50 μM	
	MCF7	> 50 μM	
Hebeiabinin A (531)	A549	53.21 μM	182
	HT-29	15.88 μM	
	K562	42.71 μM	
Hebeiabinin D (534)	A549	5.05 μM	182
	HT-29	5.03 μM	
	K562	7.66 μM	
Hebeiabinin E (535)	A549	0.91 μM	182
	HT-29	1.81 μM	
	K562	4.07 μM	
Laxiflorin P (541)	HL-60	3.8 ± 0.2 μM	117
	SMMC-7721	5.6 ± 0.6 μM	
	MCF-7	3.2 ± 0.03 μM	
	A549	11.7 ± 1.2 μM	
	SW480	3.1 ± 0.1 μM	
Laxiflorin Q (542)	HL-60	> 40 μM	117

	SMMC-7721	> 40 μM	
	MCF-7	> 40 μM	
	A549	> 40 μM	
	SW480	> 40 μM	
Eriocasin B (546)	HT-29	> 10 μM	66
	BEL-7402	> 10 μM	
	SK-OV-3	5.7 μM	
3 β -acetoxyeriacasin D (548)	HT-29	> 10 μM	66
	BEL-7402	> 10 μM	
	SK-OV-3	5.1 μM	
Isolophanthin A (554)	HL-60	19.4 μM	189
	A549	12.5 μM	
	MOLT-4	3.8 μM	
	BEL-7402	0.5 μM	
Isolophanthin B (555)	HL-60	55.2 μM	189
	A549	50.0 μM	
	MOLT-4	25.6 μM	
	BEL-7402	32.4 μM	
Gerardianin B (557)	HeLa	28.32 μM	190
	HCF-8	36.54 μM	
	HepG2	24.68 μM	
Gerardianin C (558)	HeLa	> 50 μM	190
	HCF-8	17.03 μM	
	HepG2	26.32 μM	
16-acetoxyisugiol (560)	A549	12.34 \pm 1.40 μM	192
	MCF-7	1.79 \pm 0.08 μM	
	HeLa	15.92 \pm 1.42 μM	
Graciliflorin E (561)	A549	20.90 \pm 2.21 μM	192
	MCF-7	20.61 \pm 2.33 μM	
	HeLa	22.82 \pm 3.72 μM	
15-hydroxy-20-deoxocarnosol (564)	A549	14.10 \pm 1.02 μM	192
	MCF-7	11.72 \pm 0.30 μM	
	HeLa	17.41 \pm 0.93 μM	
15-hydroxy-1-oxosalvibretol (565)	A549	> 152.44 μM	192
	MCF-7	> 152.44 μM	
	HeLa	> 152.44 μM	
Isoabietenin C (578)	HL-60	4.7 μM	75
	SMMC-7721	> 10 μM	
	A-549	> 10 μM	
	MCF-7	> 10 μM	
	SW-480	> 10 μM	
Isolophanthin C (583)	HL-60	86.4 μM	189
	A549	93.7 μM	
	MOLT-4	82.3 μM	
	BEL-7402	90.3 μM	
3 β -hydroxysempervirol (586)	A549	16.42 \pm 1.89 μM	192
	MCF-7	7.78 \pm 2.25 μM	
	HeLa	33.84 \pm 5.23 μM	
Isoscoparin P (600)	HL-60	> 40 μM	202
	SMMC-7721	> 40 μM	
	A549	> 40 μM	
	MCF-7	> 40 μM	
	SW480	> 40 μM	
Scopariusic acid (607)	HL-60	18.07 μM	202
	SMMC-7721	17.28 μM	
	A549	16.55 μM	
	MCF-7	22.54 μM	
	SW480	26.62 μM	