

Supporting information

Electrical enhanced hot holes driven oxidation catalysis on the interface of plasmon-exciton hybrid

Weihua Lin,^{1,2, +} En Cao,^{1,2, 4,+} Liqiang Zhang,^{3,+} Xuefeng Xu,^{1,+} Yuzhi Song,⁴ Wenjie Liang,² Mengtao Sun^{1,2,*}

1. Beijing Key Laboratory for Magneto-Photoelectrical Composite and Interface Science, Center for Green Innovation, School of Mathematics and Physics, University of Science and Technology Beijing, Beijing 100083, People's Republic of China. E-mail: mengtaosun@ustb.edu.cn (M. T. Sun)
2. Beijing National Laboratory for Condensed Matter Physics, Beijing Key Laboratory for Nanomaterials and Nanodevices, Institute of Physics, Chinese Academy of Sciences, Beijing, 100190, People's Republic of China.
3. State Key Laboratory of Heavy Oil Processing, China University of Petroleum, Beijing, Changping 102249, People's Republic of China.
4. School of Physics and Electronics, Shandong Normal University, Jinan, 250014, China

* Corresponding author.

+ Contributed Equally.

Ag nanoparticles synthesized by thermal evaporation on the SiO₂/Si substrate can be seen in Fig. S1(a). Figure S1(b) demonstrates the difference between Ag nanoparticles covered and uncovered by graphene.




Figure S1. (a) The Ag nanoparticles covered by graphene, and (b) half covered by graphene.

