

## Elaboration of epoxy/benzoxazine interpenetrating polymer networks: a composition-to-morphology mapping

Laura Puchot <sup>a,b</sup>, Pierre Verge <sup>a\*</sup>, Sébastien Peralta <sup>b</sup>, Youssef Habibi <sup>a</sup>, Cédric Vancaeyzeele <sup>b</sup>, Frédéric Vidal <sup>b\*</sup>.


a. Luxembourg Institute of Science and Technology (LIST), 5 avenue des Hauts-Fourneaux, L- 4362 Esch-sur – Alzette, Luxembourg.

b. Laboratoire de Physicochimie des Polymères et des Interfaces (LPPI – EA 2528), I-Mat, Université de Cergy-Pontoise. 5 mail Gay Lussac, 95031 Cergy-Pontoise, France


Correspondance to: \*Pierre Verge ([pierre.verge@list.lu](mailto:pierre.verge@list.lu)); Frédéric Vidal ([frederic.vidal@u-cergy.fr](mailto:frederic.vidal@u-cergy.fr))

## SUPPORTING INFORMATION

Content	Page
<b>Results and discussion</b>	
DSC analysis of EDBz in presence of IPD	2
DSC analysis of the (60/40) poly(CDGE)/poly(EDBz) IPN (full curing)	2



**Figure 1.** DSC analysis ( $N_2$ , 20 °C/min) of EDBz in presence of IPD.



**Figure 2.** DSC analysis ( $N_2$ , 20 °C/min) of the (60/40) poly(CDGE)/poly(EDBz) IPN after the full curing.