


Facile preparation of $\text{Na}_2\text{MnSiO}_4/\text{C}/\text{graphene}$ composite as a high performance cathode for sodium ion batteries

*Hai Zhu, Juntao Wang, Xiaoling Liu, and Xiaoming Zhu**

R & D Center for Non-power Nuclear Technology, School of Nuclear Technology and Chemistry & Biology, Hubei University of Science and Technology, Xianning 437100, China

*Corresponding author. energy603@163.com



Figures S1. The TEM images of the (a) $\text{Na}_2\text{MnSiO}_4/\text{G}$ prepared with the only GO and the (b) $\text{Na}_2\text{MnSiO}_4/\text{C}$ prepared with the same amount of glucose to $\text{Na}_2\text{MnSiO}_4/\text{C}/\text{G}$.




Figure S2 Thermal gravimetric analysis curves of the $\text{Na}_2\text{MnSiO}_4/\text{C}$ and $\text{Na}_2\text{MnSiO}_4/\text{C}/\text{G}$ composites.




Figure S3 The cycling performances of the $\text{Na}_2\text{MnSiO}_4/\text{C}$ and $\text{Na}_2\text{MnSiO}_4/\text{C}/\text{G}$ composites at the rate of 0.1 C (1 C = 139 mAh g⁻¹) at room temperature.