

CuCl/Air-mediated Oxidative Coupling Reaction of Imidazoheterocycles with Glycine Esters

Jing Jiao^{a,b}, Jun-Rong Zhang^a, Yan-Yan Liao^a, Li Xu^a, Mao-Lin Hu^{*b} and Ri-Yuan
Tang^{*a}

^a Department of Applied Chemistry, College of Materials and Energy, South China Agricultural
University, Guangzhou 510642, China





E-mail: rytang@scau.edu.cn

^b College of Chemistry and Materials Engineering, Wenzhou University, Wenzhou 325035, China



E-mail: maolin@wzu.edu.cn

NMR Spectra for products



ethyl 2-(phenylamino)-2-(2-phenylimidazo[1,2-a]pyridin-3-yl)acetate(3)





ethyl 2-(6-methyl-2-phenylimidazo[1,2-a]pyridin-3-yl)-2-(phenylamino)acetate (4)





ethyl 2-(6-fluoro-2-phenylimidazo[1,2-a]pyridin-3-yl)-2-(phenylamino)acetate (5)







ethyl 2-(8-chloro-2-phenylimidazo[1,2-a]pyridin-3-yl)-2-(phenylamino)acetate (6)







ethyl 2-(8-bromo-2-phenylimidazo[1,2-a]pyridin-3-yl)-2-(phenylamino)acetate (7)





ethyl 2-(8-(hydroxymethyl)-2-phenylimidazo[1,2-a]pyridin-3-yl)-2-(phenylamino)acetate (8)





ethyl 2-(phenylamino)-2-(2-(p-tolyl)imidazo[1,2-a]pyridin-3-yl)acetate (9)







ethyl 2-(2-(4-methoxyphenyl)imidazo[1,2-a]pyridin-3-yl)-2-(phenylamino)acetate (10)





ethyl 2-(2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl)-2-(phenylamino)acetate (11)





ethyl 2-(2-(4-chlorophenyl)imidazo[1,2-a]pyridin-3-yl)-2-(phenylamino)acetate (12)





ethyl 2-(2-(4-bromophenyl)imidazo[1,2-a]pyridin-3-yl)-2-(phenylamino)acetate (13)





ethyl 2-(2-(4-cyanophenyl)-7-methylimidazo[1,2-a]pyridin-3-yl)-2-(phenylamino)acetate (14)





ethyl 2-(2-([1,1'-biphenyl]-4-yl)imidazo[1,2-a]pyridin-3-yl)-2-(phenylamino)acetate (15)







ethyl 2-(2-ethylimidazo[1,2-a]pyridin-3-yl)-2-(phenylamino)acetate (16)





ethyl 2-(2-phenylimidazo[1,2-a]pyridin-3-yl)-2-(p-tolylamino)acetate (17).







ethyl 2-((4-chlorophenyl)amino)-2-(2-phenylimidazo[1,2-a]pyridin-3-yl)acetate (18).





ethyl 2-((4-bromophenyl)amino)-2-(2-phenylimidazo[1,2-a]pyridin-3-yl)acetate (19).





ethyl 2-(phenylamino)-2-(6-phenylimidazo[2,1-b]thiazol-5-yl)acetate (20).





ethyl 2-(2-methyl-6-phenylimidazo[2,1-b]thiazol-5-yl)-2-(phenylamino)acetate (21).





ethyl 2-(phenylamino)-2-(6-(p-tolyl)imidazo[2,1-b]thiazol-5-yl)acetate (22)





ethyl 2-(6-(4-methoxyphenyl)imidazo[2,1-b]thiazol-5-yl)-2-(phenylamino)acetate (23).





ethyl 2-(6-(4-fluorophenyl)imidazo[2,1-b]thiazol-5-yl)-2-(phenylamino)acetate (24).





ethyl 2-(7-methyl-2-phenylbenzo[d]imidazo[2,1-b]thiazol-3-yl)-2-(phenylamino)acetate (25).





ethyl 2-(phenylamino)-2-(2-phenylimidazo[1,2-a]pyrimidin-3-yl)acetate (26).



(Z)-1-phenyl-2-(2-phenylimidazo[1,2-a]pyridin-3-yl)-2-(phenylimino)ethanone (27).



phenyl-2-(2-phenylimidazo[1,2-a]pyridin-3-yl)ethane-1,2-dione (28).



2-(phenylamino)-2-(2-phenylimidazo[1,2-a]pyridin-3-yl)acetic acid (29).

