

Supplementary Information (SI)

Acridinedione as Selective Fluoride ion Chemosensor: A Detailed Spectroscopic and Quantum Mechanical Investigation

Nafees Iqbal,^a Syed Abid Ali,^a Iqra Munir,^a Saima Khan,^b Khurshid Ayub,^b Mariya al-Rashida,^c
Muhammad Islam,^d Zahid Shafiq,^d Ralf Ludwig,^{e,f} and Abdul Hameed^{*a}

^a H.E.J. Research Institute of Chemistry, International Center for Chemical and Biological Sciences, University of Karachi, Karachi-75270, Pakistan.

^b Department of Chemistry, COMSATS Institute of Information Technology, Abbottabad, KPK, Pakistan 22060.

^c Department of Chemistry, Forman Christian College (A Chartered University), Ferozepur Road, Lahore, Pakistan.


^d Institute of Chemical Sciences, Bahauddin Zakariya University, Multan, Pakistan

^e Leibniz-Institut für Katalyse e. V. an der Universität Rostock, Albert-Einstein-Str. 29a, 18059 Rostock, Germany

^f Department of Physical Chemistry, University of Rostock, Dr.-Lorenz-Weg 1, 18059 Rostock, Germany

*Corresponding Authors: A. Hameed, e-mail: abdul_hameed8@hotmail.com / abdul_hameed@iccs.edu
Tel.: 0092-21-99261701-2; Fax: 0092-21-3481901

**Job's Plot 4-F Compound (7i)
TBAF: 4-F (1:1)**



Effect of Methanol on 4-F Compound (7i)




Figure-S1: Job's Plot and Effects of Methanol on 4-Fluoro substituted DHP (7i)

Supplementary Information (SI)

Limit of Detection and Binding constant

The detection limit was calculated from the calibration curve obtained by titrating prob **7i** with different concentration of fluoride sources in acetonitrile as shown in the Figure-S2. $R^2 = 0.99285$, slope (k) = 275.6138, standard deviation (SD) 0.004590. The data was obtained from Shimadzu UV-1800 UV-VIS Spectrophotometer. The detection limit was calculate from the following formula [3.3 x SD/k]. The method was adopted for LOD of compound **7i** with LOD formula [4.604 x SD/k] Figure-S4.

Binding/association constants were calculated using Benesi Hilderbrand equation.

$$\frac{b}{\Delta A} = \frac{1}{S_t K_a \Delta \epsilon} \times \frac{1}{[L]} + \frac{1}{S_t \Delta \epsilon}$$

Equation-1: Benesi Hildebrand Equation

$\Delta A = A_{\text{substrate + anion}} - A_{\text{substrate}}$, St = Total concentration of substrate



K_a = Binding /Association Constant

$\Delta \epsilon = \epsilon_{\text{substrate + anion}} - \epsilon_{\text{substrate}} - \epsilon_{\text{anion}}$.

Dividing the intercept with slope from BH Plot, K_a was calculated

Acridinediones		
	7i	7l
Limit of detection (LOD)	$5.49 \times 10^{-5} \text{ M}$	$9.29 \times 10^{-5} \text{ M}$
Binding Constant	$8.47 \times 10^2 \text{ M}^{-1}$	$1.14 \times 10^3 \text{ M}^{-1}$

Calibration curve of 4-F Compound (7i)






Figure-S2: Calibration Curve, BH plot and Detection Limit Calculations of **7i**

Supplementary Information (SI)





Figure-S3: 4-Chloro DHP vs TBAF, Job's Plot and Effects of Methanol on 4-Fluoro substituted DHP (7i)






Figure S4: Calibration Curve, BH plot and Detection Limit Calculations of **7l**

Supplementary Information (SI)

Thermal studies of IL (3)

In order to signify the catalytic efficiency of morpholinium-based ionic liquids in reactions demanding high temperatures, thermal studies of IL **3** (as model IL) were also carried out. Thermal stability and decomposition profile of **3** was studied *via* differential scanning calorimetry (DSC), thermogravimetric analysis (TGA), and derivative thermogravimetry (DTG) is given in.

Figure-S5a shows overlap of thermogravimetric analysis (TGA) and derivative thermogravimetric (DTG) data for compound **3**. Overlap of TGA and differential scanning calorimetry (DSC) for the IL **3** is given in Figure-S5b. In TGA of IL **3**, in the first step the compound gradually loses weight (16%) over the temperature range from ambient to 100 °C, this is probably due to loss of water. The accompanying DSC data in the same temperature range indicates an endothermic process. The first decomposition step appears from 100 °C to 190 °C, in which there is a loss of 20% weight, most likely due to the loss of alkyl chain. The DTG shows first decomposition temperature to be 135 °C. After 190 °C, all of the remaining weight (64%) is suddenly lost in next step in the temperature range 190 °C to 250 °C. According to DTG, the peak temperature for this second decomposition step is 225 °C. As can be seen from Figure-S5b, the last two weight loss steps also indicate an associated endothermic change.





Figure-S5: a) Overlap of TGA and DTG for MoF **3**; b) Overlap of TGA and DSC data for IL **3**.



Figur-S6: Interference studies of compound **7i** in the presence and absence of TBAF

Supplementary Information (SI)

Cartesian coordinates of the optimized geometries and associated thermal correction data

7i

HF=-1195.8863576

Zero-point correction = 0.417364 (Hartree/Particle)
Thermal correction to Energy = 0.442100
Thermal correction to Enthalpy = 0.443045
Thermal correction to Gibbs Free Energy = 0.363208
Sum of electronic and zero-point Energies = -1195.468993
Sum of electronic and thermal Energies = -1195.444257
Sum of electronic and thermal Enthalpies = -1195.443313
Sum of electronic and thermal Free Energies = -1195.523149

C -3.72574300 -1.88016400 -0.23615800
C -2.37893100 -2.16630800 -0.84185900
C -1.23394300 -1.48322400 -0.49172600
C -1.26141700 -0.39865500 0.42562100
C -2.52666700 0.08960900 0.94151600
C -3.78702800 -0.41189500 0.24351400
C -0.00009100 0.27635100 0.82668900
C 1.26082200 -0.39950000 0.42564800
C 1.23261000 -1.48403800 -0.49173200
C 2.37711400 -2.16796100 -0.84177900
H 2.30036100 -3.01903400 -1.51748300
C 3.72418700 -1.88269100 -0.23628100
C 3.78641700 -0.41455900 0.24369400
C 2.52639800 0.08758900 0.94184300
H -2.30280700 -3.01723800 -1.51780400
H -3.93434500 0.24071500 -0.62924600

Supplementary Information (SI)

H	4.63697100	-0.25367900	0.91188300
H	3.93405800	0.23811000	-0.62896300
H	-0.00005800	0.40023300	1.91828700
H	-4.63744600	-0.25035800	0.91172300
O	2.59126700	0.91792000	1.85203900
O	-2.59095900	0.92044100	1.85128900
N	-0.00079500	-1.88005000	-1.02618000
C	3.92579600	-2.83748000	0.97441900
H	3.84087100	-3.88538200	0.66874900
H	4.92133100	-2.68932500	1.40771300
H	3.18040400	-2.64699500	1.75182300
C	4.83553600	-2.14775700	-1.27186600
H	5.81976200	-1.94240900	-0.83817700
H	4.82676600	-3.19280400	-1.60175600
H	4.71395300	-1.51184300	-2.15448100
C	-3.92767000	-2.83454500	0.97481900
H	-4.92303600	-2.68570700	1.40826400
H	-3.84341400	-3.88257000	0.66938400
H	-3.18201200	-2.64430000	1.75202500
C	-4.83743600	-2.14483300	-1.27145900
H	-4.82925700	-3.18994100	-1.60117600
H	-5.82147700	-1.93892800	-0.83761300
H	-4.71572100	-1.50913100	-2.15420800
C	0.00063200	1.73272100	0.26413100
C	0.00168300	2.82353300	1.13468700

Supplementary Information (SI)

C	0.00032700	1.95868000	-1.11815200
C	0.00240900	4.12846100	0.63753700
H	0.00195200	2.65785800	2.20520500
C	0.00105000	3.25501900	-1.62825300
H	-0.00049800	1.11775600	-1.80581700
C	0.00208500	4.32226800	-0.73601200
H	0.00319100	4.98536800	1.30213000
H	0.00081300	3.44653300	-2.69582700
F	0.00277400	5.58273400	-1.22545500
H	-0.00108400	-2.74180500	-1.55193600

7i-F

HF=-1295.7996339

Zero-point correction =	0.415831 (Hartree/Particle)
Thermal correction to Energy =	0.442449
Thermal correction to Enthalpy =	0.443393
Thermal correction to Gibbs Free Energy =	0.356293
Sum of electronic and zero-point Energies =	-1295.383803
Sum of electronic and thermal Energies =	-1295.357185
Sum of electronic and thermal Enthalpies =	-1295.356241
Sum of electronic and thermal Free Energies =	-1295.443341

C	3.67640200	-1.74679400	-0.00291300
C	2.32471700	-2.03898000	0.57463000
C	1.17779500	-1.31379900	0.25751500
C	1.26447200	-0.15199400	-0.57842700
C	2.52509600	0.35447300	-1.02286600
C	3.78030100	-0.25279700	-0.38110300
C	0.00531200	0.58373200	-0.93726900

Supplementary Information (SI)

C	-1.25950700	-0.14290700	-0.57954200
C	-1.18152500	-1.30512500	0.25643600
C	-2.33354500	-2.02306300	0.57244700
H	-2.19967400	-2.92137900	1.17255800
C	-3.68281300	-1.72105400	-0.00518000
C	-3.77618800	-0.22674300	-0.38481000
C	-2.51641200	0.37121600	-1.02612000
H	2.18576300	-2.93629100	1.17514600
H	3.97535500	0.33077200	0.53078400
H	-4.61982000	-0.04508000	-1.05955000
H	-3.96784900	0.35896400	0.52641000
H	0.00656200	0.79745300	-2.01443600
H	4.62568400	-0.07638900	-1.05506000
O	-2.63819200	1.31488100	-1.83005800
O	2.65413500	1.29863000	-1.82509300
N	-0.00394000	-1.82666300	0.72698200
C	-3.85918300	-2.59066300	-1.28358200
H	-3.74011000	-3.65536700	-1.05601100
H	-4.85889800	-2.43928300	-1.71067500
H	-3.11488100	-2.31624100	-2.03590300
C	-4.79191000	-2.09237600	1.00022400
H	-5.78265300	-1.88644000	0.57767200
H	-4.74885800	-3.15668100	1.25993500
H	-4.69093800	-1.51620200	1.92596600
C	3.84678300	-2.61631300	-1.28212100
H	4.84740000	-2.47141400	-1.70937600
H	3.72051500	-3.68044200	-1.05561200

Supplementary Information (SI)

H	3.10419000	-2.33613800	-2.03401000
C	4.78287100	-2.12660000	1.00217700
H	4.73266600	-3.19086100	1.26096000
H	5.77503900	-1.92718700	0.57986600
H	4.68587000	-1.55053700	1.92842200
C	0.00856300	1.96697100	-0.24374400
C	-0.00008800	3.14806200	-0.98956900
C	0.01870900	2.05830800	1.15535400
C	0.00204600	4.39739000	-0.36281900
H	-0.00927600	3.08967600	-2.07179100
C	0.02070200	3.29524000	1.79871700
H	0.02525300	1.14811600	1.74810300
C	0.01248900	4.44857100	1.02235300
H	-0.00429200	5.31939100	-0.93531600
H	0.02854900	3.37484500	2.88114400
F	0.01471900	5.66158900	1.64323600
H	-0.02281300	-3.10739400	1.48080000
F	-0.05063800	-3.99224100	1.96605000

7i-OAc

HF=-1424.4663668

Zero-point correction = 0.467251 (Hartree/Particle)

Thermal correction to Energy = 0.497792

Thermal correction to Enthalpy = 0.498737

Thermal correction to Gibbs Free Energy = 0.403250

Sum of electronic and zero-point Energies = -1423.999116

Sum of electronic and thermal Energies = -1423.968574

Sum of electronic and thermal Enthalpies = -1423.967630

Sum of electronic and thermal Free Energies = -1424.063117

C -1.59183100 -3.42452500 -0.51392100

Supplementary Information (SI)


C	-1.82604300	-2.04648700	0.02576600
C	-0.90990000	-1.01507900	-0.13850600
C	0.35703100	-1.22881500	-0.75204400
C	0.76985100	-2.55031200	-1.14679600
C	-0.08141500	-3.71729700	-0.64354700
C	1.29421500	-0.07687600	-0.94788200
C	0.69713900	1.27519800	-0.70362600
C	-0.58866700	1.38412500	-0.09626000
C	-1.20093400	2.61129300	0.10422300
H	-2.20077500	2.61892800	0.53422700
C	-0.60672900	3.89713800	-0.39483000
C	0.93118900	3.77868700	-0.47931300
C	1.45761700	2.44744300	-1.02536500
H	-2.80854400	-1.81425100	0.45642000
H	0.31400600	-3.97829800	0.34929800
H	1.35579100	4.58676400	-1.08421700
H	1.35050800	3.88453200	0.53228000
H	1.68654100	-0.11367800	-1.97249200
H	0.10155100	-4.57931900	-1.29343000
O	2.53486900	2.42073300	-1.64481400
O	1.80183400	-2.77418300	-1.79938100
N	-1.29668300	0.24989700	0.26511500
C	-1.18492300	4.17446100	-1.81187000
H	-2.27888500	4.21328500	-1.78867600
H	-0.81372500	5.13461800	-2.19234800
H	-0.88667300	3.38749000	-2.51010000
C	-1.00189800	5.06137800	0.53590100
H	-0.58067900	6.00665600	0.17355400
H	-2.09107200	5.17216600	0.58617500
H	-0.63410100	4.89267400	1.55337100
C	-2.26250500	-3.48576600	-1.91755800

Supplementary Information (SI)


H	-2.18647400	-4.50195700	-2.32440700
H	-3.32065100	-3.21448000	-1.85484800
H	-1.77131600	-2.79703600	-2.61079200
C	-2.27092600	-4.46443000	0.40138600
H	-3.34230900	-4.25968400	0.49359300
H	-2.14225000	-5.47579200	-0.00260100
H	-1.83803900	-4.44258100	1.40699800
C	2.52516900	-0.27362800	-0.02792200
C	3.79528800	-0.49056500	-0.56680400
C	2.38205300	-0.24211600	1.36619700
C	4.90670900	-0.67083900	0.26081800
H	3.91634900	-0.52090900	-1.64319300
C	3.47917900	-0.42139300	2.20721900
H	1.40074900	-0.07342600	1.80029400
C	4.72857800	-0.63303500	1.63509600
H	5.89742100	-0.83775500	-0.14909800
H	3.37807700	-0.39874700	3.28739400
F	5.80475300	-0.80721600	2.44929000
H	-2.29315900	0.39799800	0.60785600
O	-3.74128900	0.92135600	1.09611200
C	-4.70255100	0.09167600	1.20530100
O	-4.66408900	-1.14439400	1.01463300
C	-6.04842400	0.71635800	1.62697300
H	-6.33946000	1.49185800	0.90945900
H	-6.83434400	-0.04028700	1.68792600
H	-5.93877100	1.20923400	2.59972100

Supplementary Information (SI)


Spectral Data




Supplementary Information (SI)



Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)


Nafees / Dr. Iqbal / NF-I-38
F19-1H decoupled.




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)



Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)


Nafees / Dr. A. Hameed / NF-
F19-1H decoupled.




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)



Supplementary Information (SI)




Supplementary Information (SI)




113


Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)



Supplementary Information (SI)




Supplementary Information (SI)




121


Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)




Supplementary Information (SI)







Supplementary Information (SI)




Supplementary Information (SI)



Supplementary Information (SI)



Supplementary Information (SI)



Supplementary Information (SI)

