

Electronic supplementary information (ESI)

## Bioactivity-guided mixed synthesis and evaluation of $\alpha$ -alkenyl- $\gamma$ and $\delta$ -lactone derivatives as potential fungicidal agents

### Authorship:

Authors: Yong-Ling Wu <sup>a</sup>, Yan-Qing Gao <sup>a, b</sup>, De-Long Wang <sup>a</sup>, Chen-Quan Zhong <sup>a</sup>, Jun-Tao Feng <sup>a, b,\*</sup>, Xing Zhang <sup>a, b</sup>

<sup>a</sup> Research and Development Center of Biorational Pesticide, Northwest A&F University, Yangling 712100, Shaanxi , China.

<sup>b</sup> Research Center of Biopesticide Technology & Engineering, Shaanxi Province, Yangling 712100, Shaanxi , China.

\*Corresponding Author: Telephone +86-29-87092122; fax +86-29-87092122; E-Mail: [fengjt@nwsuaf.edu.cn](mailto:fengjt@nwsuaf.edu.cn)

### Supplementary content:

The difference between the experimental pIC <sub>50</sub> and predicted pIC <sub>50</sub> .....	S2
The Five Significant Descriptors and Their Values.....	S3
The figure of Experimental pIC50 vs. predicted pIC50.....	S4
The figure of “breaking point” rule results.....	S5
The Internal validation of the QSAR model.....	S5

Table 1 The difference between the experimental pIC<sub>50</sub> and predicted pIC<sub>50</sub>

No.	Compd.	Calc.pIC <sub>50</sub>	Exp.pIC <sub>50</sub>	Difference
1	2-1	-1.9479	-1.9775	0.0296
2	2-2	-1.7686	-1.8028	0.0342
3	2-3	-1.8142	-1.7002	-0.1140
4	2-4	-1.6175	-1.6664	0.0489
5	2-5	-1.7616	-1.7839	0.0223
6	2-6	-1.7348	-1.7674	0.0326
7	2-7	-1.6315	-1.7069	0.0754
8	2-8	-1.6456	-1.6929	0.0473
9	2-9	-1.5657	-1.5940	0.0283
10	2-10	-1.3724	-1.4522	0.0798
11	2-11	-2.0678	-2.1337	0.0659
12	2-12	-2.1999	-2.1053	-0.0946
13	2-13	-2.0557	-2.0323	-0.0234
14	2-14	-2.2269	-2.1622	-0.0647
15	2-15	-1.9646	-2.1412	0.1766
16	2-16	-2.0651	-2.1193	0.0543
17	2-17	-1.2719	-1.3354	0.0635
18	2-18	-1.7079	-1.7625	0.0546
19	2-19	-1.6878	-1.6003	-0.0875
20	2-20	-1.8744	-2.0286	0.1542
21	2-21	-1.5656	-1.6311	0.0655
22	2-22	-2.1516	-2.0557	-0.0959
23	2-23	-2.0414	-2.1632	0.1218
24	2-24	-2.0278	-2.1821	0.1543
25	2-25	-1.6990	-1.6205	-0.0785
26	2-26	-1.2919	-1.3246	0.0327
27	4-1	-2.0030	-2.0765	0.0735
28	4-2	-1.8180	-1.9144	0.0964
29	4-3	-1.9468	-1.8976	-0.0492
30	4-4	-1.7283	-1.8224	0.0941
31	4-5	-2.0024	-1.9221	-0.0803
32	4-6	-1.8319	-1.8947	0.0628
33	4-7	-1.7416	-1.8458	0.1042
34	4-8	-1.7251	-1.9022	0.1771
35	4-9	-1.9077	-1.8713	-0.0364
36	4-10	-1.7670	-1.8246	0.0576
37	4-11	-2.1249	-2.2186	0.0937
38	4-12	-2.0920	-2.1681	0.0761
39	4-13	-2.0899	-2.1148	0.0249
40	4-14	-2.2785	-2.2436	-0.0349
41	4-15	-2.3222	-2.2384	-0.0838


42	4-16	-2.1799	-2.1855	0.0056
43	4-17	-1.8136	-1.7482	-0.0654
44	4-18	-1.9157	-1.9521	0.0364
45	4-19	-1.9388	-1.7845	-0.1543
46	4-20	-2.0554	-2.1319	0.0765
47	4-21	-1.8564	-1.8132	-0.0432
48	4-22	-2.0028	-2.1253	0.1225
49	4-23	-2.2382	-2.2136	-0.0246
50	4-24	-2.1793	-2.2471	0.0678
51	4-25	-1.7391	-1.8385	0.0994
52	4-26	-1.6430	-1.6643	0.0213

Table 2 Fungicidal activity and structural descriptors of the title compounds


No.	Compd.	$pIC_{50}$	Structural descriptors				
			$q^O_{\max} \text{ } ^a$	$n_o \text{ } ^b$	$MAOEP \text{ } ^c$	$\mu_c \text{ } ^d$	$q_{\max} \text{ } ^e$
1	2-1	-1.9479	-0.2470	1.4348	1.9118	4.8340	0.3316
2	2-2	-1.7686	-0.2609	1.5652	1.9855	4.8610	0.2884
3	2-3	-1.8142	-0.2455	1.5652	1.9820	4.6130	0.3309
4	2-4	-1.6175	-0.2455	1.5652	1.9820	3.6000	0.3309
5	2-5	-1.7616	-0.2467	1.5652	1.9844	4.9890	0.3328
6	2-6	-1.7348	-0.2453	1.5652	1.9667	4.5830	0.3309
7	2-7	-1.6315	-0.2450	1.5652	1.9730	3.9350	0.3305
8	2-8	-1.6456	-0.2462	1.5652	1.9576	5.2870	0.3321
9	2-9	-1.5657	-0.2452	1.5652	1.9433	4.6340	0.3307
10	2-10	-1.3724	-0.2455	1.5652	1.9376	3.2410	0.3312
11	2-11	-2.0678	-0.2476	1.3846	1.9118	4.5690	0.3322
12	2-12	-2.1999	-0.2473	1.3846	1.9118	4.9560	0.3317
13	2-13	-2.0557	-0.2474	1.3846	1.9118	5.2420	0.3318
14	2-14	-2.2269	-0.2062	1.4444	1.9118	5.0240	0.3325
15	2-15	-1.9646	-0.2083	1.4444	1.9117	5.6670	0.3314
16	2-16	-2.0651	-0.2062	1.4444	1.9118	5.0240	0.3325
17	2-17	-1.2719	-0.2432	1.7308	1.9615	2.0340	0.4656
18	2-18	-1.7079	-0.2471	1.4483	1.9118	4.7400	0.3323
19	2-19	-1.6878	-0.2518	1.4444	1.9113	4.9390	0.3427
20	2-20	-1.8744	-0.2437	1.5417	1.9118	2.4280	0.3299
21	2-21	-1.5656	-0.2453	1.6957	1.9822	4.2240	0.3319
22	2-22	-2.1516	-0.1015	1.5500	1.9118	4.8100	0.3337
23	2-23	-2.0414	-0.2474	1.3448	1.9118	5.2710	0.3318
24	2-24	-2.0278	-0.2475	1.3125	1.9118	5.2800	0.3318
25	2-25	-1.6990	-0.2469	1.3448	1.9118	5.1390	0.3301
26	2-26	-1.2919	-0.2444	1.4483	1.9674	4.7630	0.3311
27	4-1	-2.0030	-0.2584	1.3846	1.9129	3.5750	0.3456
28	4-2	-1.8180	-0.2453	1.5000	1.9820	2.6530	0.3436

29	4-3	-1.9468	-0.2559	1.5000	1.9820	4.7240	0.3422
30	4-4	-1.7283	-0.2562	1.5000	1.9819	4.5660	0.3445
31	4-5	-2.0024	-0.2554	1.5000	1.9665	3.1570	0.3430
32	4-6	-1.8319	-0.2554	1.5000	1.9663	4.3290	0.3417
33	4-7	-1.7416	-0.2558	1.5000	1.9829	4.2620	0.3439
34	4-8	-1.7251	-0.2467	1.5000	1.9331	5.7840	0.3348
35	4-9	-1.9077	-0.2557	1.5000	1.9534	5.1480	0.3421
36	4-10	-1.7670	-0.2561	1.5000	1.9126	4.8890	0.3451
37	4-11	-2.1249	-0.2477	1.3448	1.9129	3.9210	0.3452
38	4-12	-2.0920	-0.2589	1.3448	1.9129	3.2820	0.3461
39	4-13	-2.0899	-0.2588	1.3448	1.9129	3.3720	0.3461
40	4-14	-2.2785	-0.2166	1.4000	1.9125	4.0690	0.3480
41	4-15	-2.3222	-0.2047	1.4000	1.9131	3.2420	0.3418
42	4-16	-2.1799	-0.2073	1.4000	1.9129	4.0620	0.3466
43	4-17	-1.8136	-0.2534	1.7308	1.9654	2.6543	0.3765
44	4-18	-1.9157	-0.2657	1.5203	1.9129	4.6754	0.3543
45	4-19	-1.9388	-0.2576	1.4062	1.9130	3.5030	0.3452
46	4-20	-2.0554	-0.2437	1.5417	1.9118	2.4280	0.3299
47	4-21	-1.8564	-0.2434	1.6154	1.9821	3.6590	0.3425
48	4-22	-2.0028	-0.1179	1.4783	1.9127	3.1270	0.3494
49	4-23	-2.2382	-0.2590	1.3125	1.9129	3.3040	0.3462
50	4-24	-2.1793	-0.2589	1.2857	1.9129	3.3660	0.3461
51	4-25	-1.7391	-0.2567	1.3333	1.9126	3.6630	0.3499
52	4-26	-1.6430	-0.2439	1.4242	1.9672	3.1860	0.3470

Note: <sup>a</sup> Max. net atomic charge for a O atom. <sup>b</sup> Number of occupied electronic levels of atoms. <sup>c</sup> Max. atomic orbital electronic population. <sup>d</sup> Total point-charge composition of the molecular dipole. <sup>e</sup> Max. net atomic charge.



**Fig. 1** Experimental pIC<sub>50</sub> vs. predicted pIC<sub>50</sub>.



**Fig. 2** The “breaking point” rule results

**Table 3** Internal validation of the QSAR model <sup>a</sup>

Training set	<i>N</i>	<i>R</i> <sup>2</sup>	<i>F</i>	<i>S</i> <sup>2</sup>	Test set	<i>N</i>	<i>R</i> <sup>2</sup>	<i>F</i>	<i>S</i> <sup>2</sup>
A+B	34	0.954	65.79	0.0031	C	18	0.945	64.54	0.0026
B+C	35	0.932	64.34	0.0029	A	17	0.932	65.22	0.0031
A+C	35	0.945	65.54	0.0027	B	17	0.944	64.99	0.0032
Average		0.943	65.22	0.0029	Average		0.941	64.92	0.0030

Note: <sup>a</sup> Compds. A: 1, 4, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34, 37, 40, 43, 46, 49, 52. Compds. B: 2, 5, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38, 41, 44, 47, 50. Compds. C: 3, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51.