

Ultrasmall Black Phosphorus Quantum Dots: Synthesis, Characterization, and Application in Cancer Treatment

Mingqian Wang^a, Ying Liang^a, Yajun Liu^a, Guohong Ren^a, Zhicheng Zhang^a, Shishan Wu^a*, Jian Shen^{a,b}

*

^aSchool of Chemistry and Chemical Engineering, Nanjing University, 163 Xianlin Avenue, Qixia District, Nanjing, 210023, China

^bJiangsu Collaborative Innovation Center of Biomedical Functional Materials, Jiangsu Key Laboratory of Biomedical Materials, College of Chemistry and Materials Science, Nanjing Normal University, Nanjing, 210023, China

Correspondence should be addressed to Shishan Wu, shishanwu@nju.edu.cn




Fig. S1. The raman spectra of BPQDs




Fig. S2. The XPS spectra of phosphorus.




Fig. S3. APTT of in vitro plasma coagulation in the presence of the BPQDs with PBS as a negative control.




Fig. S4. PT of in vitro plasma coagulation in the presence of the BPQDs with PBS as a negative control.




Fig. S5. TT of in vitro plasma coagulation in the presence of the BPQDs with PBS as a negative control.




Fig. S6. PRT of the negative control and BPQDs, platelet poor plasma was served as the negative control.