Rapid Discrimination of Natural Polyphenols (Vegetable Tannins) from Different Plants by Molecular Spectroscopy and PLS-DA

Fábio S. Grasel*[a] and Marco F. Ferrão[b]

[a.]TANAC S/A, Rua Torbjorn Weibull, 199, 95780-000, Montenegro – RS, Brazil. E-mail: fsgrasel@gmail.com

[b.]Instituto de Química, Universidade Federal do Rio Grande do Sul, Avenida Bento Gonçalves, 9500, 91501-970, Porto Alegre – RS, Brazil

Fig. S1. Sample 2 (myrobalan) classification by PLS-DA of ultraviolet spectra. (º) Training; (*) Test.


**Fig. S2.** Sample 3 (quebracho) classification by PLS-DA of ultraviolet spectra. (º) Training; (*) Test.

Fig. S3. Sample 4 (tara) classification by PLS-DA of ultraviolet spectra. (º) Training; (*) Test.


Fig. S4. Sample 5 (valonea) classification by PLS-DA of ultraviolet spectra. (º) Training; (*) Test.

**Fig. S5.** Sample 6 (mimosa) classification by PLS-DA of ultraviolet spectra. (°) Training; (*) Test.

Fig. S6. Sample 2 (myrobalan) classification by PLS-DA of visible spectra. (°) Training; (*) Test.

**Fig. S7.** Sample 3 (quebracho) classification by PLS-DA of visible spectra. (º) Training; (*) Test.

**Fig. S8.** Sample 4 (tara) classification by PLS-DA of visible spectra. (º) Training; (*) Test.

Fig. S9. Sample 5 (valonea) classification by PLS-DA of visible spectra. (º) Training; (*) Test.


Fig. S10. Sample 6 (mimosa) classification by PLS-DA of visible spectra. (º) Training; (*) Test.

Fig. S11. Sample 2 (myrobalan) classification by PLS-DA of FTIR spectra. (°) Training; (*) Test.


**Fig. S12.** Sample 3 (quebracho) classification by PLS-DA of FTIR spectra. (°) Training; (*) Test.

Fig. S13. Sample 4 (tara) classification by PLS-DA of FTIR spectra. (º) Training; (*) Test.


Fig. S14. Sample 5 (valonea) classification by PLS-DA of FTIR spectra. (º) Training; (*) Test.

Fig. S15. Sample 6 (mimosa) classification by PLS-DA of FTIR spectra. (º) Training; (*) Test.