

A Fluorescent Detection Method for Copper ions Based on Directly Redox Route and A Desk Study of Wax-printed Paper-based Probe

Jiawei Li^{1,#}, Pan Li^{1,#}, Minghong Bian², Danqun Huo^{2,*}, Changjun Hou^{1,*}, Hui Qin³, Suyi Zhang^{1,3}, Liang Zhang^{1,4}

¹Key Laboratory for Biorheological Science and Technology of Ministry of Education, State and Local Joint Engineering Laboratory for Vascular Implants,

Bioengineering College of Chongqing University, Chongqing 400044, PR China

²Liquor Making Biology Technology and Application of Key Laboratory of Sichuan Province, College of Bioengineering, Sichuan University of Science and Engineering, Zigong, 643000, PR China

³National Engineering Research Center of Solid-State Brewing, Luzhou Laojiao Group Co. Ltd., Luzhou 646000, PR China

⁴LuzhouLaojiao Group Co., Ltd., Luzhou 646000, PR China

These two authors made equal contribution to this work.

* Corresponding author. Tel.: +86 23 6511 2673; fax: +86 23 6510 2507.

E-mail addresses: houcj@cqu.edu.cn (C. Hou)

huodq23@163.com (D. Huo)





Fig.S1 The effects of high temperature, alkalescence conditions and long-term preservation on BSA-Au NCs



FigS2. Optimization of experimental conditions