

Supporting information for

**Regulating Golgi Apparatus by co-delivery of COX-2 Inhibitor
and Brefeldin A for Suppression of Tumor Metastasis**

Ru-Yi Yu^{a,1}, Lei Xing^{a,b,c,d,1}, Peng-Fei Cui^a, Jian-Bin Qiao^a, Yu-Jing He^a, Xin
Chang^a, Tian-Jiao Zhou^a, Qing-Ri Jin^{e,*}, Hu-Lin Jiang^{a,b,c,d,*}, Yanyu Xiao^{a,*}

^a State Key Laboratory of Natural Medicines, Department of Pharmaceutics, China
Pharmaceutical University, Nanjing 210009, China

^b Jiangsu Key Laboratory of Druggability of Biopharmaceuticals, China
Pharmaceutical University, Nanjing, 210009, China

^c Jiangsu Key Laboratory of Drug Screening, China Pharmaceutical University,
Nanjing, China

^d Jiangsu Key Laboratory of Drug Discovery for Metabolic Diseases, China
Pharmaceutical University, Nanjing 210009, China

^e College of Animal Science and Technology, Zhejiang A&F University, Lin'an,
Zhejiang 311300, China

* To whom correspondence should be addressed.

Yanyu Xiao, State Key Laboratory of Natural Medicines, Department of
Pharmaceutics, China Pharmaceutical University, Nanjing 210009, China

Tel: 025-83271079; E-mail: cpuyanyuxiao@163.com

Hu-Lin Jiang, State Key Laboratory of Natural Medicines, Department of
Pharmaceutics, China Pharmaceutical University, Nanjing 210009, P. R. China

Tel: +86-025-83271027; Fax: +86-025-83271027; E-mail: jianghulin3@163.com

Qing-Ri Jin, College of Animal Science and Technology, Zhejiang A&F
University, Lin'an, Zhejiang 311300, China

Tel: 0571-63741575; Fax: 0571-63741392; E-mail: qingrijin@163.com




Figure S1. UV spectra of dual drugs by HPLC. UV spectra of free CLX and BFA at half-peak height (a, c) before and (b, d) after the retention time, respectively. UV spectra of CLX and BFA in CNPs at half-peak height (e, g) before and (f, h) after the retention time, respectively.




Figure S2. Drug release profiles of dual drugs in PBS with different pH values.